Index to Volume 36

Author index*

A

ADLER, RICHARD H. (*See* KENT et al.), 39
AHRONHEIM, G. (*See* SOLOMON et al.), 62
ALLANSMITH, MATHEA, and BUELL, DONALD. Hemagglutinating antibodies to grass in maternal and cord sera, 409
ARBESMAN, CARL E. Correction, 564 (Corr.)
—, LANGLOIS, CLAUDE, and SHULMAN, SIDNEY. The allergic response to stinging insects. IV. Cross-reaction between bee, wasp, and yellow jacket, 147
—, REISMAN, ROBERT E., and KUNZ, MARIE L. Clinical and immunologic evaluation of a purified fraction of ragweed pollen (delta). A double-blind study, 29
—. (*See* KENT et al.), 39
—. (*See* LANGLOIS, SHULMAN, and ARBESMAN), 12
—. (*See* LANGLOIS, SHULMAN, and ARBESMAN), 109
—. (*See* REISMAN, ARBESMAN, and YAGI), 362

B

BALDWIN, HORACE S., and MATHEWS, KENNETH P. Report of an exploratory conference on undergraduate teaching of allergy, 178
BARR, SOLOMON E., BROWN, HALLA, FUCHS, MARVIN, ORVIS, HAROLD, CONNOR, AUDREY, MURRAY, FRANCIS J., and SELTZER, ALVIN. A double-blind study of the effects of bacterial vaccine on infective asthma, 47
BARRICK, RICHARD H., and FARR, RICHARD S. The increased incidence of circulating anti-beef albumin in the sera of allergic persons and some comments regarding the possible significance of this occurrence, 374
BENTZ, JOAN D. (*See* TERR and BENTZ), 433
BERNTON, HARRY S., and BROWN, HALLA. Studies on the hymenoptera. I. Skin reactions of normal persons to honeybee *(Apis mellifera)* extract, 315
BINDER, WILLIAM. (*See* SHAPIRO, EISENBERG, and BINDER), 472
BONILLA-SOTO, ORLANDO. Protective action of endotoxin on allergic phenomena, 249
BRENNAN, EILEEN, LEONE, IDA A., and DAINES, ROBERT H. The effect of nitrogen status of ragweed plants on certain pollen characteristics, 446
BROWN, HALLA. (*See* BARR et al.), 47
—. (*See* BERNTON and BROWN), 315
BROWN, WEBSTER H. (*See* VAN METRE et al.), 158
BUCKLEY, REBECCA H., and METZGAR, RICHARD S. The use of nonhuman primates for studies of reagin, 382
BUELL, DONALD. (*See* ALLANSMITH and BUELL), 409
BUKANTZ, SAMUEL C. (*See* TSUCHIYA and BUKANTZ), 514
BURDON, KENNETH L., QUENG, JOSE T., THOMAS, ORVILLE C., and MCGOVERN, JOHN P. Observations on biochemical abnormalities in hereditary angioneurotic edema, 546

C

CLAMAN, HENRY N., and MERRILL, DEBORAH. Hypergammaglobulinemia—the role of the immunoglobulins (γG, γA, γM), 463
COHEN, SHELDON G. Activities of the Research Council, 483
—. Historian's report, 409
—, and SAPP, THERESA M. Experimental eosinophilia. VIII. Cellular responses to altered globulins within cutaneous tissue, 415
CONNELL, JOHN T. (*See* SETTIPANE, CONNELL, and SHERMAN), 92
CONNOR, AUDREY. (*See* BARR et al.), 47
COOKINGHAM, C. (*See* SOLOMON et al.), 62
CORSE, JOSEPH W. (*See* LAYTON, GREENE, and PANZANI), 84
COULSON, E. J. (*See* SPIES and COULSON), 423

D

DAINES, ROBERT H. (*See* BRENNAN, LEONE, and DAINES), 446
DEMUTH, GEORGE R. (*See* SOLOMON et al.), 62
DENNIS, MACEY. (*See* TOWNLEY, DENNIS, and ITKIN), 121
DUKES, C. DEAN. (*See* QUENG, DUKES, and MCGOVERN), 505
DURHAM, OREN. (*See* ROTH and DURHAM), 186

E

EISENBERG, BEN C. (*See* SHAPIRO, BINDER, and EISENBERG), 472

F

FARR, RICHARD S. (*See* BARRICK and FARR), 374
—. (*See* ROTHBERG and FARR), 450
FELLNER, MICHAEL J. (*See* LEVINE and FELLNER), 342
FREEDMAN, S. O., and SEHON, A. H. Allergenic activity of chlorogenic acid, 493
—. (*See* MEACOCK et al.), 1
FUCHS, MARVIN. (*See* BARR et al.), 47

*January—February, pp. 1-96; March—April, pp. 97-218; May—June, pp. 219-314; July—August, pp. 315-408; September—October, pp. 409-502; November—December, pp. 503-596.

G

GELLIN, GERALD A., and MARCH, CYRIL. An unusual form of local reaction to hyposensitization injection, 234

GEUBELLE, FERNAND. (*See* SENTERRE and GEUBELLE), 538

GHATA, JEAN. (*See* REINBERG, SIDI, and GHATA), 273

GORDON, VIDA H., and MANSMANN, HERBERT C., JR. The effect of alum-precipitated pyridine ragweed extract on guinea pigs. I. Arthus reactivity induced with a single low dose, 239

GREENE, FRANK C. (*See* LAYTON, GREENE, and PANZANI), 84

GROLNICK, MAX. Mechanism of spread of sensitization in eczematous contact dermatitis in humans, 333

H

HERXHEIMER, H. Effect of antihistamines, 492 (Corr.)

I

ISHIZAKA, KIMISHIGE, and ISHIZAKA, TERUKO. Biologic activities of soluble antigen-antibody complexes. X. Skin-reactive properties of allergen-reagin complexes, 70

ISHIZAKA, TERUKO. (*See* ISHIZAKA and ISHIZAKA), 70

ITKIN, IRVING H. (*See* TOWNLEY, DENNIS, and ITKIN), 121

K

KEENEY, EDMUND L., and PALMER, LEWIS A. The pathology of corticosteroid-treated asthma, 97

KENT, JOHN H., KITE, JOSEPH H., ADLER, RICHARD H., ARBESMAN, CARL E., and ROSE, NOEL R. Tissue culture studies of ciliated respiratory epithelium, 39

KIM, CHONG-JIN. The bronchial provocation test: its clinical evaluation and the course of induced asthma, 353

KITE, JOSEPH H. (*See* KENT et al.), 39

KNOX, DAVID L. (*See* VAN METRE et al.), 158

KRAVIS, L. P., LECKS, H. I., and WHITNEY, T. Basophil degranulation tests in atopic allergic states: pilot study of ragweed pollen sensitive patients, 23

KUNZ, MARIE L. (*See* ARBESMAN, REISMAN, and KUNZ), 29

L

LAMSA, TYYNE. (*See* RACKEMANN and LAMSA), 258

LANGLOIS, CLAUDE, SHULMAN, SIDNEY, and ARBESMAN, CARL E. The allergic response to stinging insects. II. Immunologic studies of human sera from allergic individuals, 12

—, —, and —. The allergic response to stinging insects. III. The specificity of venom sac antigens, 109

—. (*See* ARBESMAN, LANGLOIS, and SHULMAN), 147

LAYTON, LAURENCE L. Passive transfer of human atopic allergies into lemurs, lorises, pottos, and Galagos: possible primate-ordinal specificity of acceptance of passive sensitization by human atopic reagin, 523

—, GREENE, FRANK C., and PANZANI, RAPHAEL, with the assistance of CORSE, JOSEPH W. Allergy to green coffee. Failure of patients allergic to green coffee to react to chlorogenic acid, roasted coffee, or orange, 84

LECKS, H. I. (*See* KRAVIS, LECKS, and WHITNEY), 23

LEFCOE, N. M. (*See* TOOGOOD and LEFCOE), 321

LEONE, IDA A. (*See* BRENNAN, DAINES, and LEONE), 446

LEOPOLD, HOWARD C., RYNES, SAMUEL, and STOLOFF, IRWIN L. Fluorescent antibody study for antinuclear antibodies in bronchial asthma, 175

LEVINE, BERNARD B., and FELLNER, MICHAEL J. The nature of immune complexes initiating allergic wheal-and-flare reactions, 342

LOWELL, FRANCIS C. Allergenicity of chlorogenic acid, 308 (Corr.)

M

MCGOVERN, JOHN P. (*See* BURDON et al.), 546

—. (*See* QUENG, DUKES, and MCGOVERN), 505

MCLEAN, J. A. (*See* SOLOMON et al.), 62

MANSMANN, HERBERT C., JR. (*See* GORDON and MANSMANN), 239

MARCH, CYRIL. (*See* GELLIN and MARCH), 234

MARKS, MEYER B. Allergy in relation to orofacial dental deformities in children: a review, 293

MATHEWS, KENNETH P. President's address, The American Academy of Allergy, 219

—. (*See* BALDWIN and MATHEWS), 178

MAUMENEE, A. EDWARD. (*See* VAN METRE et al.), 158

MEACOCK, S. C. R., SHULMAN, R., FREEDMAN, S. O., and SEHON, A. H. Immunologic and clinical properties of two purified ragweed fractions, 1

MERRILL, DEBORAH. (*See* CLAMAN and MERRILL), 463

METZGAR, RICHARD S. (*See* BUCKLEY and METZGAR), 382

MURRAY, FRANCIS J. (*See* BARR et al.), 47

N

NATERMAN, HYMAN L. Formalinized pollen protein precipitates with tannic acid or urea in desensitization treatment, 226

NELSON, VALERIE L. (*See* PATTERSON et al.), 138

NORMAN, PHILIP S., and WINKENWERDER, WALTER L. Suppression of hay fever symptoms with intranasal dexamethasone aerosol, 284

NORTHEY, WILLIAM T. (*See* PHILLIPS and NORTHEY), 303

O

ORVIS, HAROLD. (*See* BARR et al.), 47

OUELLETTE, JOHN J., and REED, CHARLES E. Increased response of asthmatic subjects to methacholine after influenza vaccine, 558

P

PALMER, LEWIS A. (*See* KEENEY and PALMER), 97
PANZANI, RAPHAEL. (*See* LAYTON, GREENE, and PANZANI), 84
PATTERSON, ROY, TENNENBAUM, JAMES I., PRUZANSKY, JACOB J., and NELSON, VALERIE L. Canine antiragweed serum. Demonstration of "blocking" activity by in vivo and in vitro techniques, 138
PHILLIPS, LEO A., and NORTHEY, WILLIAM T. Antigenic components of house dust allergens, 303
PRUZANSKY, JACOB J. (*See* PATTERSON et al.), 138

Q

QUENG, JOSE T., DUKES, DEAN, and MCGOVERN, JOHN P. Antigenicity of the tetracyclines, 505
—. (*See* BURDON et al.), 546

R

RACKEMANN, FRANCIS M., and LAMSA, TYYNE. The natural history of ragweed hay fever, 258
REED, CHARLES E. (*See* OUELLETTE and REED), 558
REINBERG, ALAIN, SIDI, EDWIN, and GHATA, JEAN. Circadian reactivity rhythms of human skin to histamine or allergen and the adrenal cycle, 273
REISMAN, ROBERT E., ARBESMAN, CARL E., and YAGI, YASUO. Radioimmunoelectrophoretic studies of ragweed-binding antibodies in allergic sera, 362
—. (*See* ARBESMAN, REISMAN, and KUNZ), 29
ROSE, NOEL R. (*See* KENT et al.), 39
ROTH, ALEXANDER, and DURHAM, OREN. Pollen and mold survey in Hawaii, July, 1963, to June, 1964, 186
ROTHBERG, RICHARD M., and FARR, RICHARD, S. Antibodies in rabbits fed milk and their similarities to antibodies in some human sera, 450
RYNES, SAMUEL. (*See* LEOPOLD, RYNES, and STOLOFF), 175

S

SAPP, THERESA M. (*See* COHEN and SAPP), 415
SEHON, A. H. (*See* FREEDMAN and SEHON), 493
—. (*See* MEACOCK et al.), 1
SELTZER, ALVIN. (*See* BARR et al.), 47
SENTERRE, JACQUES, and GEUBELLE, FERNAND. Expiratory flow rate and pulmonary resistance in asthmatic children, 538
SETTIPANE, GUY A., CONNELL, JOHN T., and SHERMAN, WILLIAM B. Reagin in tears, 92
SHAPIRO, RICHARD S., EISENBERG, BEN C., and BINDER, WILLIAM. Airborne fungi in Los Angeles, California, 472
SHERMAN, WILLIAM B. (*See* SETTIPANE, CONNELL, and SHERMAN), 92
SHULMAN, R. (*See* MEACOCK et al.), 1
SHULMAN, SIDNEY. (*See* ARBESMAN, LANGLOIS, and SHULMAN), 147
—. (*See* LANGLOIS, SHULMAN, and ARBESMAN), 12, 109
SIDI, EDWIN. (*See* REINBERG, SIDI, and GHATA), 273
SOBEL, GERTRUDE. Changes in conjunctival sensitivity following grass and ragweed emulsion treatment, 532
SOLOMON, W. R., MCLEAN, J. A., COOKINGHAM, C., AHRONHEIM, G., and DEMUTH, GEORGE R. Measurement of nasal airway resistance, 62
SPIES, JOSEPH R., and COULSON, E. J. Antigenic specificity relationships of castor bean meal, pollen, and allergenic fraction, CB-1A, of *Ricinus communis*, 423
STOLOFF, IRWIN L. (*See* LEOPOLD, RYNES, and STOLOFF), 175

T

TALMAGE, DAVID W. Editorial, 503
TENNENBAUM, JAMES I. (*See* PATTERSON et al.), 138
TERR, ABBA I., and BENTZ, JOAN D. Skin-sensitizing antibodies in serum sickness, 433
THOMAS, ORVILLE C. (*See* BURDON et al.), 546
TOOGOOD, J. H., and LEFCOE, N. M. Dexamethasone aerosol for the treatment of "steroid dependent" chronic bronchial asthmatic patients, 321
TORSNEY, PHILIP J. (*See* TUFT and TORSNEY), 265
TOWNLEY, ROBERT G. Effect of antihistamines. Reply, 493 (Corr.)
—, DENNIS, MACEY, and ITKIN, IRVING H. Comparative action of acetyl-beta-methylcholine, histamine, and pollen antigens in subjects with hay fever and patients with bronchial asthma, 121
TSUCHIYA, YOSHIO, and BUKANTZ, SAMUEL C. Studies on status asthmaticus in children. I. Capillary blood pH and pCO_2 in status asthmaticus, 514
TUFT, LOUIS, and TORSNEY, PHILIP J. Treatment of ragweed hay fever with Allpyral extracts, 265

V

VAN METRE, THOMAS E., JR., BROWN, WEBSTER H., KNOX, DAVID L., and MAUMENEE, A. EDWARD. The relation between nongranulomatous uveitis and arthritis, 158

W

WHITNEY, T. (*See* KRAVIS, LECKS, and WHITNEY), 23
WINKENWERDER, WALTER L. (*See* NORMAN and WINKENWERDER), 284

Y

YAGI, YASUO. (*See* REISMAN, ARBESMAN, and YAGI), 362

Subject index*

A

Acetic acid, 5 OH-indole, neutralization of serotonin with antibodies to, 204 (Abst.)

Acetyl-beta-methylcholine, histamine, and pollen antigens in hay fever subjects and bronchial asthma patients, comparative action (Townley, Dennis, and Itkin), 121

Acetylcysteine (Mucomyst), iatrogenic bronchospasm during clinical trials, *18* (Abst.)

in vitro reduction in viscosity of human tracheobronchial secretions by, *9* (Abst.)

Acid, chlorogenic, allergic activity of (Freedman and Sehon), 493 (Corr.)

pure, not allergenic in atopy to green coffee, *45* (Abst.)

tannic, formalinized pollen protein precipitates with urea or, in desensitization treatment (Naterman), 226

usnic, produced by lichenized fungi, allergic contact dermatitis from, *83* (Abst.)

ACTH with every-other-day steroid regimens, use of, 209 (Abst.)

Activities of Research Council, American Academy of Allergy, 1964-1965 (Cohen), 483

Adolescence, changes in allergic manifestations during, *16* (Abst.)

Adolescents, allergic diseases in, *15* (Abst.)

Adrenal cycle, circadian reactivity rhythms of human skin to histamine or allergen and (Reinberg, Sidi, and Ghata), 273

Adrenal-pituitary function in bronchial asthma, 208 (Abst.)

Aerosol, dexamethasone, in bronchial asthma, 203 (Abst.)

for treatment of "steroid dependent" chronic bronchial asthmatic patients (Toogood and Lefcoe), 321

intranasal dexamethasone, suppression of hay fever by local action, 202 (Abst.)

of hay fever symptoms with (Norman and Winkenwerder), 284

metacholine, effect of killed influenza virus vaccine on response of normal and asthmatic subjects to, 212 (Abst.)

Aerosolized dextran, immunologic responses of atopic and normal individuals to, 194 (Abst.)

metaproterenol, treatment of acute asthma by, measured by pulmonary ventilatory studies, *82* (Abst.)

Aerosolized—Cont'd

steroids and induced Cushing's syndrome, *82* (Abst.)

Agglutination test with ragweed pollen, 206 (Abst.)

Agglutinins, cold, circulating, presenting for many years as "hypersplenism" and terminating in leukemia, case of autoimmune hemolytic anemia with, *43* (Abst.)

Air flow and oral pressure, effect on mechanics of breathing in patients with asthma and emphysema, *18* (Abst.)

pollution and respiratory disease in Tokyo-Yokohama area, *45* (Abst.)

trapping in chronic bronchitis and emphysema, *16* (Abst.)

Airborne fungi in Los Angeles, California (Shapiro, Eisenberg, and Binder), 472

Airway, nasal, instrument for measuring cross-sectional area, 217 (Abst.)

obstruction, generalized, effect of Multergan on ventilatory capacities in patients with, *66* (Abst.)

obstructive, disease, nonspecificity of broncho-constricting effects of histamine and acetyl-beta-methylcholine in patients with, 213 (Abst.)

resistance, measurement of nasal (Solomon et al.), 62

Albumin, anti-beef, circulating in sera of allergic persons, increased incidence and comments on (Barrick and Farr), 374

bovine serum and alphalactalbumin in humans and in rabbits fed milk, specificities of antibodies to, 199 (Abst.)

Alevaire, saline, Mucomyst, effect on sputum volume and consistency, 211 (Abst.)

Alimentary hypersensitivity induced by *Giardia lamblia, 80* (Abst.)

Allergen, histamine or, circadian reactivity rhythms of human skin to, and adrenal cycle (Reinberg, Sidi, and Ghata), 273

and Mecholyl sensitivity, effect of beta-adrenergic blockade on, 213 (Abst.)

house dust, purification, *46* (Abst.)

in Schultz-Dale experiments, reaction of sensitized human smooth muscle to, 198 (Abst.)

Allergenic activity of chlorogenic acid (Freedman and Sehon), 493 (Corr.)

chemicals, simple, induced unresponsiveness to, *73* (Abst.)

*January—February, pp. 1-96; March—April, pp. 97-218; May—June, pp. 219-314; July—August, pp. 315-408; September—October, pp. 409-502; November—December, pp. 503-596.

Allergenic—Cont'd
fraction, CB-1A, of *Ricinus communis*, castor bean meal, and pollen, antigenic specificity relationships of (Spies and Coulson), 423
similarity between extract obtained from hay and widely-used house dust allergen, 218 (Abst.)
Allergen-reagin complexes, skin-reactive properties of (Ishizaka and Ishizaka), 70
Allergens in epoxy resins, *35* (Abst.)
house dust, antigenic components (Phillips and Northey), 303
Allergic contact dermatitis, effects on basal cell epitheliomas, *68* (Abst.)
from usnic acid produced by lichenized fungi, *83* (Abst.)
diseases in adolescents, *15* (Abst.)
human serum, normal and, influence on histamine release from ragweed-sensitive leukocytes, 195 (Abst.)
individuals, density-gradient sedimentation of skin-sensitizing antibody and β_{2A}-globulin in serum of, *58* (Abst.)
inflammation, earliest changes in acute normergic and, *70* (Abst.)
manifestations during adolescence, changes in, *16* (Abst.)
patient, value of home visits in treatment, *36* (Abst.)
persons, increased incidence of circulating anti-beef albumin in sera of (Barrick and Farr), 374
phenomena, protective action of endotoxin on (Bonilla-Soto), 249
reaction, generalized, to bovine thyrotropin, *19* (Abst.)
reactions to fluoride, *69* (Abst.)
response to stinging insects (Langlois, Shulman, and Arbesman), 12, 109 (Arbesman, Langlois, and Shulman), 147
rhinitis, indirect basophil degranulation test in, *49* (Abst.)
sera, radioimmunoelectrophoretic studies of ragweed binding antibodies in (Reisman, Arbesman, and Yagi), 362
subjects, histamine release and ragweed binding in, 196 (Abst.)
thyroiditis, experimental, in guinea pigs, genetic influence, *42* (Abst.)
vasculitis, some clinical manifestations and associations of, *89* (Abst.)
wheal-and-flare reactions, nature of immune complexes initiating (Levine and Fellner), 342
Allergies, atopic, human, passive transfer into lemurs, lorises, pottos, and Galagos (Layton), 523
human, passive transfer to prosimians: skin-reactions in lemuroid, *Nycticebus coucang* (slow loris), *38* (Abst.)
miscellaneous, *85* (Absts.)
Allergy, American Academy of (Cohen), 476
end results in infants and children, *2* (Abst.)
to green coffee (Layton, Greene, and Panzani), 84
to lichens. Allergic contact dermatitis from usnic acid produced by lichenized fungi, *83* (Abst.)
penicillin, results of comparative skin tests with penicilloyl-polylysine and penicillin in patients with, *49* (Abst.)
report of exploratory conference on undergraduate teaching of (Baldwin and Mathews), 178
to trivalent chromium, *3* (Abst.)
Allpyral, Antigen E of ragweed, Coca's extract of ragweed, and placebos in treatment of hay fever, comparison, 214 (Abst.)
extracts, treatment of ragweed hay fever with (Tuft and Torsney), 265
"purified" Delta and, ragweed preparations, clinical effectiveness, 215 (Abst.)
Alphalactalbumin, bovine serum albumin and, in humans and in rabbits fed milk, specificities of antibodies to, 199 (Abst.)
Altitude of 18,000 feet, simulated, changes in lung volumes of emphysema patients upon short exposure to, *55* (Abst.)
Alum-precipitated antigen, parenterally injected, comparison of immunologic responses of normal and atopic individuals to, *90* (Abst.)
pyridine ragweed extract, effect on guinea pigs (Gordon and Mansmann), 239
American Academy of Allergy, activities of Research Council, 1964-1965 (Cohen), 483
Distinguished Service Award, 1965, to Dr. William B. Sherman, 225
Historian's report (Cohen), 476
interim report of Committee on Insect Allergy, 190
President's address (Mathews), 219
Aminophylline, on anti-inflammatory activity of, *8* (Abst.)
Anaphylactic reactions to tetracycline in penicillin-allergic patient, *69* (Abst.)
shock, egg-white and horse-serum, and glycemic states in rats, *79* (Abst.)
induced after electrical stimulation of brain, electrical activity of vagus nerve in, *61* (Abst.)
initial stage of canine endotoxin shock as expression, studies on complement titers and plasma histamine concentrations, *44* (Abst.)
and venom-induced slow-reacting substance and histamine in guinea pigs, distribution and properties of, *28* (Abst.)

Anaphylactoid reaction to diphenhydramine hydrochloride (Benadryl), *21* (Abst.)
to orally administered demethylchlortetracycline, *6* (Abst.)
Anaphylaxis, *93* (Absts.)
acute, differences in amount of histamine available for release in lungs of guinea pigs susceptible and resistant to, *28* (Abst.)
penicillin G, methicillin tolerance after, *21* (Abst.)
role of mast cell in, in mouse, *15* (Abst.)
Anemia, autoimmune hemolytic, case with culating cold agglutinins presenting for many years as "hypersplenism" and terminating in leukemia, *43* (Abst.)
hemolytic, autoimmune, treated with d-penicillamine, *88* (Abst.)
complicating aortic-valve surgery, *33* (Abst.)
secondary to penicillin treatment: studies on two patients with "non-allergic" serum hemagglutinins, *94* (Abst.)
Angiitis, subacute, penile nodules as major manifestation, *23* (Abst.)
Angioneurotic edema, action of complement in; role of C'1 esterase, *76* (Abst.)
hereditary, biochemical abnormalities in (Burdon et al.), 546
genetic variants, *78* (Abst.)
Announcements, 309, 397, 496, 568
"Antianaphylactic" stimulation of brain, electrical activity of vagus nerve after, *45* (Abst.)
Antibacterial sulphonamides and diuretic drugs, cross-reactions between, *69* (Abst.)
Anti-beef albumin, circulating in sera of allergic persons, increased incidence and comments on (Barrick and Farr), 374
Antibiotic, Lincomycin, in respiratory allergy associated with infection, *64* (Abst.)
Antibodies, antiheart, in postpericardiotomy and post–myocardial infarction syndrome, *56* (Abst.)
antinuclear, in bronchial asthma, fluorescent antibody study for (Leopold, Rynes, and Stoloff), 175
in families of patients with systemic lupus erythematosus, *13* (Abst.)
to bovine serum albumin and alpha-lactalbumin in humans and in rabbits fed milk, specificities of, 199 (Abst.)
to canine pulmonary surfactant, production, 211 (Abst.)
circulating, to dietary proteins and autoantigens, incidence in multiple sclerosis, *78* (Abst.)
in polymyositis and other muscle-wasting disorders, *76* (Abst.)
to 5OH-indole acetic acid, neutralization of serotonin with, 204 (Abst.)
Antibodies—Cont'd
guinea pig, specificity of, and delayed hypersensitivity, *56* (Abst.)
heart muscle, in rheumatic fever and other diseases, *58* (Abst.)
hemagglutinating, to grass in maternal and cord sera, (Allansmith and Buell), 207, 409
in milk allergy, identification by radioimmunoelectrophoresis, 199 (Abst.)
in rabbits fed milk and their similarities to antibodies in some human sera (Rothberg and Farr), 450
ragweed-binding, in allergic sera, radioimmunoelectrophoretic studies of (Reisman, Arbesman, and Yagi), 362
skin, demonstration in sera of pemphigus vulgaris patients by indirect immunofluorescent staining, *40* (Abst.)
skin-sensitizing, in serum sickness, (Terr and Bentz), 193, 433
in systemic lupus erythematosus and myasthenia gravis which react with thermally denatured DNA-coated bentonite, *23* (Abst.)
Antibody anti-lens, in human sera, *76* (Abst.)
autoantiviral, occurrence in human uveitis, *44* (Abst.)
circulating, formation, and delayed-type hypersensitivity, independence of, *73* (Abst.)
complement-fixing, in thyroid disease, cytotoxic factor and, *27* (Abst.)
to cotton antigens in normal subjects and cotton cardroom workers with byssinosis, *75* (Abst.)
fluorescent, study for antinuclear antibodies in bronchial asthma (Leopold, Rynes, and Stoloff), 175
human, synthesis during corticosteroid therapy, 209 (Abst.)
19S and 7S, passively administered, specific inhibition of antibody formation by, *13* (Abst.)
production in atopic individuals, effect of 6-mercaptopurine on, 208 (Abst.)
in guinea pig to homologous uvea, *25* (Abst.)
skin-sensitizing, association with gamma-A globulins in individual sensitized to rattlesnake (crotalid) venom, 193 (Abst.)
with $7S_{\gamma 2}$-globulins, 194 (Abst.)
density gradient sedimentation of, and β_{2A}-globulin in serum of allergic individuals, *58* (Abst.)
partial separation from antibodies which bind antigen in vitro, 206 (Abst.)
sperm and, production in rabbits following immunization with sperm and semen, *25* (Abst.)
Antibody-like activity in diabetic and normal serum, measured by complement consumption, *75* (Abst.)
Anti-D serum, injection of, attempt to prevent the sensitization of Rh-negative mothers by, *79* (Abst.)

Antigen, active desensitization with, protection against both inhaled and intravenous antigens, *14* (Abst.)
alum precipitated, parenterally injected, comparison of immunologic responses of normal and atopic individuals to, *90* (Abst.)
E of ragweed, Allpyral, Coca's extract of ragweed, and placebos in treatment of hay fever, comparison, 214 (Abst.)
effect of sensitive cells or normal cells in in presence of, *12* (Abst.)
intrarectal, "Auer colitis" in rabbits induced by, *11* (Abst.)
localization of, in tuberculin reaction, electron microscopic observations on, *92* (Abst.)
nonemulsion depot injections, immunologic studies of individuals clinically sensitive to ragweed following, 215 (Abst.)
poison ivy, oral, basophilia degranulation induced by, *85* (Abst.)
pollen, in tissue culture, specific response of human lymphocytes to, 197 (Abst.)
Antigen-antibody complexes initiating wheal-and-flare allergic skin reactions in man, nature of, 199 (Abst.)
soluble, biologic activities of (Ishizaka and Ishizaka), 70
in tissue culture, cellular damage by, *40* (Abst.)
Antigenic components of house dust allergens (Phillips and Northey), 303
specificity relations of castor bean meal, pollen, and allergenic fraction, CB-1A of *Ricinus communis* (Spies and Coulson), 423
stimulation, maturation of plasma cells after, *70* (Abst.)
stimuli, familial occurrence of immediate wheal reactions caused by, *42* (Abst.)
Antigenicity of heated milk proteins, *26* (Abst.)
of tetracyclines (Queng, Dukes, and McGovern), 505
Antigens, cotton, antibody to, in normal subjects and in cotton cardroom workers with byssinosis, *75* (Abst.)
induction of delayed and immediate types of skin reactivity in guinea pigs by variation in dosages of, *62* (Abst.)
pollen, in hay fever subjects and bronchial asthma patients, comparative action of acetyl-beta-methylcholine, histamine, and (Townley, Dennis, and Itkin), 121
protection against intravenous but not against inhaled, passive desensitization with heterologous antiserum, *14* (Abst.)
purified ragweed, clinical activity, 214 (Abst.)
specificity of inhibition of cell migration by, *11* (Abst.)
Antigens—Cont'd
venom sac, specificity of (Langlois, Shulman, and Arbesman), 109
Antiheart antibodies in postpericardiotomy and post–myocardial infarction syndrome, *56* (Abst.)
Antihistamine substance (5) in extracts of human tumor and "normal" tissue, distribution of, *6* (Abst.)
Antihistamines, effect of (Herxheimer), 492 (Corr.)
Anti-inflammatory activity of aminophylline, *8* (Abst.)
Anti-lens antibody in human sera, *76* (Abst.)
Antinuclear antibodies in bronchial asthma, fluorescent antibody study for (Leopold, Rynes, and Stoloff), 175
in families of patients with systemic lupus erythematosus, *13* (Abst.)
factors, persistence in sera of patients with history of hydralazine toxicity, 196 (Abst.)
Antiprotease activity, potent, inhibition of local hemorrhagic Shwartzman reaction by polypeptide possessing, *25* (Abst.)
Antirabies serum, incidence of reactions following administration, *87* (Abst.)
Antiragweed serum, canine, "blocking" activity by in vivo and in vitro techniques (Patterson et al.), 138
Antiserum, heterologous, passive desensitization with, protection against intravenous but not against inhaled antigens, *14* (Abst.)
Aortic-valve surgery, hemolytic anemia complicating, *38* (Abst.)
Aplasia, erythroid, bullous skin eruption, and lupus erythematosus cell phenomenon, thymoma associated with, *22* (Abst.)
Appendix, role in development of immunologic capacity, *39* (Abst.)
Aquagenic urticaria contact sensitivity reaction to water, *18* (Abst.)
Aqueous extract in treatment of ragweed pollenosis, comparison of two dosage levels, 214 (Abst.)
Arteritis, Takayashu's, and rheumatoid arthritis, *23* (Abst.)
Arthritis, chronic, associated with erythema and other symptom complex due to sensitivity to common foods, *53* (Abst.)
relation between nongranulomatous uveitis and (Van Metre et al.), 158
rheumatoid, Takayashu's arteritis and, *23* (Abst.)
Arthus reactivity induced with a single low dose of alum-precipitated pyridine ragweed extract (Gordon and Mansmann), 239
Arthus-type inflammation, conditions of reactivation by thiol compounds, *15* (Abst.)

Aspirin psoriasis, birch pollen and, study in salicylate hypersensitivity, *5* (Abst.)
Asthma, acute, treatment by aerosolized metaproterenol measured by pulmonary ventilatory studies, *83* (Abst.)
bronchial, adrenal-pituitary function in, 208 (Abst.)
chronic, dichlorophenamide in emphysema and, *48* (Abst.)
"steroid dependent" patients, dexamethasone aerosol for treatment of (Toogood and Lefcoe), 321
dexamethasone aerosol in, 203 (Abst.)
effect of long-term corticosteroid therapy on hemoglobin red-cell values and red-cell indices in children with, *33* (Abst.)
fatal, clinical and pathological observations in, *32* (Abst.)
fluorescent antibody study for antinuclear antibodies in (Leopold, Rynes, and Stoloff), 175
patients, comparative action of acetyl-beta-methylcholine, histamine, and pollen antigens in hay fever subjects and (Townley, Dennis, and Itkin), 121
pituitary function in patients with, measured indirectly by methopyrapone, *48* (Abst.)
prevalence and characteristics of children with, 210 (Abst.)
(and status) in childhood, occurrence in acute, 200 (Abst.)
carotid-body removal in, *32* (Abst.)
childhood, controlled study of iodotherapy for, 201 (Abst.)
corticosteroid-treated, pathology of (Keeney and Palmer), 97
death from, in children, *82* (Abst.)
and emphysema, effect of air flow and oral pressure on mechanics of breathing in patients with, *18* (Abst.)
and hay fever, *82* (Absts.)
and hyperinflation, pulmonary diffusing capacity, membrane diffusing capacity, and capillary blood volume in children with, 211 (Abst.)
induced, course of, bronchial provocation test for (Kim), 353
infective, effects of bacterial vaccine on (Barr et al.), 47
physical conditioning in, *66* (Abst.)
Asthmatic child, intractably, Asthmatic Children's Foundation and, *49* (Abst.)
children, effects of alternate-day steroid therapy in, 209 (Abst.)
of long-term corticosteroid therapy on total red-cell volume and hemoglobin mass in, *32* (Abst.)
expiratory flow rate and pulmonary resistance in (Senterre and Geubelle), 538
intermittent positive-pressure breathing apparatus vs. Freon nebulized isoproterenol in asthmatic children, 200 (Abst.)
Asthmatic—Cont'd
Children's Foundation and intractably asthmatic child, *49* (Abst.)
episodes, infection precipitated, in children, gamma globulin and its effect on, *2* (Abst.)
hospitalized, patient, effect of exercise on, 201 (Abst.)
patients, symptom-free, pulmonary function in, *33* (Abst.)
subjects, increased response of, to methacholine after influenza vaccine (Ouellette and Reed), 558
normal and, response to methacholine aerosol, effect of killed influenza virus vaccine on, 212 (Abst.)
Atelectasis, segmental, 200 (Abst.)
Atopic allergic states, basophil degranulation tests: pilot study of ragweed pollen sensitive patients (Kravis, Lecks, and Whitney), 23
allergies, human, passive transfer into lemurs, lorises, pottos, and Galagos (Layton), 523
dermatitis, guanethidine and phenoxybenzamine in, *50* (Abst.)
incidence of contact sensitivity in, *4* (Abst.)
and other abnormalities, relationship between, 216 (Abst.)
zoster in patient with, *4* (Abst.)
individuals, effect of 6-mercaptopurine on antibody production in, 208 (Abst.)
normal and, comparison of immunologic responses of, to parenterally injected alum precipitated antigen, *90* (Abst.)
immunologic responses to aerosolized dextran, 194 (Abst.)
reagin, human, possible primate-ordinal specificity of acceptance of passive sensitization by (Layton), 523
Atopy to green coffee, pure chlorogenic acid not allergenic; specific protein probably involved, *45* (Abst.)
immunoglobulins in skin of subjects with and without, 205 (Abst.)
"Auer colitis" in rabbits induced by intrarectal antigen, *11* (Abst.)
Autoantigen, human gastric parietal cell, characterization, *91* (Abst.)
Autoantigens and dietary proteins, circulating antibodies to, incidence in multiple sclerosis, *78* (Abst.)
Autoantiviral antibody, occurrence in human uveitis, *44* (Abst.)
Autoimmune hemolytic anemia with circulating cold agglutinins presenting for many years as "hypersplenism" and terminating in leukemia, case, *43* (Abst.)
treated with d-penicillamine, *88* (Abst.)
processes, development in rabbits after neonatal removal of central lymphoid tissue, *59* (Abst.)
progesterone dermatitis, cure by oophorectomy, *22* (Abst.)

Avren, Stanley S., obituary, 499
Azathioprine, immunoallergic lung purpura treated with, *63* (Abst.)
Azo dye carcinogens, contact reactivity to, *82* (Abst.)

B

Bacterial vaccine, effects on infective asthma (Barr et al.), 47
Ballmer, Robert S., obituary, 404
Basal cell epitheliomas, effects of allergic contact dermatitis on, *68* (Abst.)
Basophil cells test, role of complement in, *54* (Abst.)
count, absolute, technique and significance, *55* (Abst.)
degranulation following inhalation of coal tar vapor, *84* (Abst.)
test, indirect, in allergic rhinitis, *49* (Abst.)
critical evaluation, *36* (Abst.)
tests in atopic allergic states: pilot study of ragweed pollen sensitive patients (Kravis, Lecks, and Whitney), 23
Basophilia degranulation induced by oral poison ivy antigen, *85* (Abst.)
Basophils and mast cells, role in hypersensitivity, *72* (Abst.)
Bee venom, immunologic properties, 217 (Abst.)
tolerance in white mice in relation to diet, *30* (Abst.)
wasp, and yellow jacket, cross-reactions between (Arbesman, Langlois, and Shulman), 147
Benadryl, diphenhydramine hydrochloride, anaphylactoid reaction to, *21* (Abst.)
Bentonite, thermally denatured DNA-coated, antibodies in systemic lupus erythematosus and myasthenia gravis which react with, *23* (Abst.)
Berloque dermatitis, technique for deliberate reproduction, *50* (Abst.)
Beta-adrenergic blockade, effect on histamine, Mecholyl, and allergen sensitivity, *213* (Abst.)
Betamethasone, study of transmucosal absorption, 202 (Abst.)
Biochemical abnormalities in hereditary angioneurotic edema (Burdon et al.), 546
Biologic activities of soluble antigen-antibody complexes (Ishizaka and Ishizaka), 70
Birch pollen and aspirin psoriasis—study in salicylate hypersensitivity, *5* (Abst.)
Bithionol, contact photodermatitis from, *20* (Abst.)
Blockade, beta-adrenergic, effect on histamine, Mecholyl, and allergen sensitivity, 213 (Abst.)
"Blocking" activity of canine antiragweed serum by in vivo and in vitro techniques, demonstration of (Patterson et al.), 138
Blood, capillary, pH and pCO_2 in status asthmaticus (Tsuchiya and Bukantz), 514
peripheral, transfer of delayed hypersensitivity in man by lymphocyte preparation, 196 (Abst.)
Boggs, Whitney H., obituary, 502
Bovine serum albumin and alphalactalbumin in humans and in rabbits fed milk, specificities of antibodies to, 199 (Abst.)
Brain, "antianaphylactic" stimulation, electrical activity of vagus nerve after, *45* (Abst.)
electrical activity of vagus nerve in anaphylactic shock induced after electrical stimulation of, *71* (Abst.)
Breathing apparatus, intermittent positive-pressure, vs. Freon nebulized isoproterenol in asthmatic children, 200 (Abst.)
Bronchial asthma (*See* Asthma, bronchial)
provocation test: its clinical evaluation and course of induced asthma, (Kim), 353
Bronchitis, chronic, and emphysema, air trapping in, *16* (Abst.)
Bronchoconstricting effect of histamine and acetyl-beta-methylcholine in patients with obstructive airway disease, nonspecificity of, 213 (Abst.)
Bronchospasm, iatrogenic, during clinical trials of new mucolytic agent, acetylcysteine (Mucomyst), *18* (Abst.)
Bullous skin eruption, erythroid aplasia, and lupus erythematosus cell phenomenon, thymoma associated with, *22* (Abst.)
Byssinosis: antibody to cotton antigens in normal subjects and in cotton cardroom workers, *75* (Abst.)

C

Canine antiragweed serum, "blocking" activity by in vivo and in vitro techniques (Patterson et al.), 138
endotoxin shock, initial stage as expression of anaphylactic shock: studies on complement titers and plasma histamine concentrations, *44* (Abst.)
pulmonary surfactant, production of antibodies to, 211 (Abst.)
Capillary blood pH and pCO_2 in status asthmaticus (Tsuchiya and Bukantz), 514
volume, pulmonary diffusing capacity, and membrane diffusing capacity in children with asthma and hyperinflation, 211 (Abst.)
Carcinogens, azo dye, contact reactivity to, *82* (Abst.)
Carotid-body removal in asthma, *32* (Abst.)
Castor bean meal, pollen, and allergenic fraction, CB-1A, of *Ricinus communis*, antigenic specificity relationships of (Spies and Coulson), 423

CB-1A, allergenic fraction, of *Ricinus communis*, antigenic specificity relationship of castor bean meal, pollen, and (Spies and Coulson), 423
Celiac disease, adult, immunofluorescent studies in, *92* (Abst.)
infant feeding in, *46* (Abst.)
Cell, basal, epitheliomas, effects of allergic contact dermatitis on, *68* (Abst.)
gastric parietal, human, auto-antigen, characterization, *91* (Abst.)
lupus erythematosus, phenomenon, thymoma associated with erythroid aplasia, bullous skin eruption, and, *22* (Abst.)
migration by antigens, specificity of inhibition, *11* (Abst.)
inhibition by picrylated proteins, relationship of delayed hypersensitivity and, *72* (Abst.)
specificity of hapten-protein conjugates in inhibition of, *12* (Abst.)
Cells basophil, test, role of complement in, *54* (Abst.)
mast, and basophils, role in hypersensitivity, *72* (Abst.)
degranulation, rat, indirect, detection of hypersensitivity by, *89* (Abst.)
plasma, maturation after antigenic stimulation, *70* (Abst.)
sensitive, effect on normal cells in presence of antigen, *12* (Abst.)
Cellular damage by soluble antigen-antibody complexes in tissue culture, *40* (Abst.)
hypersensitivity, in vitro studies of, *72* (Abst.)
responses to altered globulin within cutaneous tissue, 206 (Abst.) (Cohen and Sapp), 415
Cellulose-acetate medium, immunoelectrophoretic identification of human serum protein on, *91* (Abst.)
C'1-esterase, role of; action of complement in hereditary angioneurotic edema, *76* (Abst.)
Chest, case report of Wegener's granulomatosis, and evaluation of diagnostic technique used in disease of, *54* (Abst.)
Chester, Saul W., obituary, 498
Chlordiazepoxide, photosensitivity reaction to, *51* (Abst.)
Chlorogenic acid, allergenic activity of (Freedman and Sehon), 494 (Corr.)
allergenicity of (Lowell), 308 (Corr.)
-protein conjugates, immunologic properties, 204 (Abst.)
pure, not allergenic in atopy to green coffee; specific protein probably involved, *45* (Abst.)
roasted coffee, or orange, failure of patients allergic to green coffee to react to (Layton, Greene, and Panzani), 84
Cholestatic hepatitis following administration of sodium oxacillin, *53* (Abst.)
Choline, acetyl-beta-methyl, histamine and, nonspecificity of broncho-constricting effect in patients with obstructive airway disease, 213 (Abst.)
Chromium (III) sulfate, basic patch test reactions to, *34* (Abst.)
trivalent, allergy to, *3* (Abst.)
in welding fumes as cause of eczematous hand eruption, *34* (Abst.)
Ciliated respiratory epithelium, tissue culture studies of (Kent et al.), 39
Circadian reactivity rhythms of human skin to histamine or allergen and adrenal cycle (Reinberg, Sidi, and Ghata), 273
Circulating anti-beef albumin in sera of allergic persons, increased incidence and comments on (Barrick and Farr), 374
antibodies to dietary proteins and autoantigens in multiple sclerosis, *78* (Abst.)
in polymyositis and other muscle-wasting disorders, *76* (Abst.)
antibody, formation, and delayed-type hypersensitivity, independence of, *73* (Abst.)
CNS disorder during mechanical ventilation in chronic pulmonary disease, *9* (Abst.)
Coagulation, intravascular, disseminated—diseases of hypersensitivity, *88* (Abst.)
Coal tar vapor, inhalation, basophil degranulation following, *84* (Abst.)
Coca's extract of ragweed, Antigen E of ragweed, Allpyral, and placebos in treatment of hay fever, comparison, 214 (Abst.)
Coffee, green, allergy to (Layton, Greene, and Panzani), 84
pure chlorogenic acid not allergenic in atopy to, *45* (Abst.)
Cold agglutinins, circulating, case of autoimmune hemolytic anemia with, presenting for many years as "hypersplenism" and terminating in leukemia, *43* (Abst.)
induced hypersensitivity to, *85* (Abst.)
urticaria, *52* (Abst.)
Colitis, "Auer," in rabbits induced by intrarectal antigen, *11* (Abst.)
Collagen disease, disseminated eosinophilic, and eosinophilic leukemia—disease entity? *70* (Abst.)
Committee on Drugs of the Research Council. Report of the subcommittee for study of the effects of papain in treatment of bronchospastic disease, 488
Complement, action of, in hereditary angioneurotic edema, *76* (Abst.)
consumption, antibody-like activity in diabetic and normal serum, measured by, *75* (Abst.)
role in basophil cells test, *54* (Abst.)

Complement—Cont'd
titers and plasma histamine concentrations, studies, initial stage of canine endotoxin shock as expression of anaphylactic shock, *44* (Abst.)
Complexes, immune, initiating allergic wheal-and-flare reactions, nature of (Levine and Fellner) 342
Conditioning, physical, in asthma, *66* (Abst.)
Conjugates, chlorogenic acid–protein, immunologic properties, 204 (Abst.)
hapten-protein, specificity in inhibition of cell migration, *12* (Abst.)
Conjunctival sensitivity, changes in, following grass and ragweed emulsion treatment (Sobel), 532
Connective tissue disease and rheumatoid factors in patients with renal transplants, *89* (Abst.)
diseases, respiratory function studies in patients with, *90* (Abst.)
Contact dermatitis, allergic, effects on basal cell epitheliomas, *68* (Abst.)
from usnic acid produced by lichenized fungi, *83* (Abst.)
complicating tracheostomy, *35* (Abst.)
eczematous, mechanism of spread of sensitization in humans (Grolnick) 333
hypersensitivity, delayed, in guinea pig, *84* (Abst.)
reactivity to azo dye carcinogens, *82* (Abst.)
sensitivity in atopic dermatitis, incidence, *4* (Abst.)
Cord sera, maternal and, hemagglutinating antibodies to grass in, 207 (Abst.)
Correction (Arbesman), 564 (Corr.)
Corticosteroid therapy, human antibody synthesis during, 209 (Abst.)
long-term, effect on hemoglobin red-cell values and red-cell indices in children with bronchial asthma, *33* (Abst.)
on total red-cell volume and hemoglobin mass in asthmatic children, *32* (Abst.)
Corticosteroids, topical, systemic effects, *64* (Abst.)
Corticosteroid-treated asthma, pathology of (Kenny and Palmer), 97
Corticosterone half-life in children, *29* (Abst.)
Cotton antigens, antibody to, in normal subjects and in cotton cardroom workers with byssinosis, *75* (Abst.)
Cross-reactions between bee, wasp, and yellow jacket (Arbesman, Langlois, and Shulman), 147
Culture, tissue, cellular damage by soluble antigen-antibody complexes in, 40 (Abst.)
studies of ciliated respiratory epithelium (Kent et al.), 39
Cultures, tissue, reactions of serum sickness and infectious mononucleosis sera in, *37* (Abst.)
Cushing's syndrome, induced, aerosolized steroids and, *82* (Abst.)
Cutaneous diseases, hypersensitivity to deoxyribonucleic acid in, *68* (Abst.)
responses to histamine or allergen, circadian rhythms in, and adrenal cycle (Reinberg, Sidi, and Ghata), 273
tissue, cellular responses to altered globulins within, 206 (Abst.)
Cycle, adrenal, circadian reactivity rhythms of human skin to histamine or allergen and (Reinberg, Sidi, and Ghata), 273
Cyclophosphamide-prednisone therapy of lethal midline granuloma, *71* (Abst.)
Cytoplasmic fine structure in airborne pollen, *66* (Abst.)
Cytotoxic factor and complement-fixing antibody in thyroid disease, *27* (Abst.)
Cytotoxicity, in vitro, in delayed-type hypersensitivity and immunologic tolerance, *11* (Abst.)

D

Damage, cellular, by soluble antigen-antibody complexes in tissue culture, *40* (Abst.)
Death from asthma in children, *82* (Abst.)
Defatted and undefatted grass pollens, comparative study of eye tests with, 207 (Abst.)
Deformities, orofacial dental, allergy in relation to (Marks), 293
Degranulation, basophil, following inhalation of coal tar vapor, *84* (Abst.)
test, critical evaluation, *36* (Abst.)
indirect, in allergic rhinitis, *49* (Abst.)
tests, in atopic allergic states: pilot study of ragweed pollen sensitive patients (Kravis, Lecks, and Whitney), 23
basophilia, induced by oral poison ivy antigen, *85* (Abst.)
indirect rat mast cells, detection of hypersensitivity by, *89* (Abst.)
Delta fraction of ragweed pollen, clinical and immunologic evaluation (Arbesman, Reisman, and Kunz), 29
"purified," and Allpyral, ragweed preparations, clinical effectiveness, 215 (Abst.)
Demethylchlortetracycline, anaphylactoid reaction to orally administered, *6* (Abst.)
Dental, orofacial, deformities in children, allergy in relation to (Marks), 293
Deoxyribonucleic acid, hypersensitivity to, in cutaneous disease, *68* (Abst.)
Depot antigen, nonemulsion, injections, immunologic studies of individuals clinically sensitive to ragweed following, 215 (Abst.)
Dermatitis, atopic, guanethidine and phenoxybenzamine in, clinical trial, *50* (Abst.)
incidence of contact sensitivity in, *4* (Abst.)

Dermatitis, atopic—Cont'd
and other abnormalities, relationship between, 216 (Abst.)
zoster in patient with, *4* (Abst.)
berloque, technique for deliberate reproduction, *50* (Abst.)
contact, allergic, from usnic acid produced by lichenized fungi, *83* (Abst.)
complicating tracheostomy, *35* (Abst.)
eczematous, mechanism of spread of sensitization in humans (Grolnick), 333
exfoliative, 101 cases, *19* (Abst.)
from hydrazine hydrobromide solder flux, *34* (Abst.)
progesterone, autoimmune, cure by oophorectomy, *22* (Abst.)
from synthetic oil of mustard, *20* (Abst.)
vesiculobullous, from tobacco smoke, *84* (Abst.)
Dermatology, *82* (Abst.)
Desensitization, active, with antigen protection against both inhaled and intravenous antigens, *14* (Abst.)
passive, with heterologous antiserum, protection against intravenous but not against inhaled antigens, *14* (Abst.)
treatment, formalinized pollen protein precipitates with tannic acid or urea in (Naterman), 226
Dexamethasone aerosol in bronchial asthma, 203 (Abst.)
intranasal, suppression of hay fever by local action, 202 (Abst.)
symptoms with (Norman and Winkenwerder), 284
for treatment of "steroid dependent" chronic bronchial asthmatic patients (Toogood and Lefcoe), 321
Dextran, aerosolized, immunologic responses of atopic and normal individuals to, 194 (Abst.)
Diabetic and normal serum, antibody-like activity in, measured by complement consumption, *75* (Abst.)
Dichlorphenamide in emphysema and chronic bronchial asthma, *48* (Abst.)
Dickson, Dale, obituary, 566
Diet, bee venom tolerance in white mice in relation to, *30* (Abst.)
Dietary prophylaxis in prevention of allergic disease in children, role, 202 (Abst.)
proteins and autoantigens, circulating antibodies to, incidence in multiple sclerosis, *78* (Abst.)
Diffusion chambers placed in sensitized hosts, fate of lymphoid homografts, *14* (Abst.)
Dilutions, serial, of vaccine, smallpox vaccination studies with, *94* (Abst.)
Diphenhydramine hydrochloride (Benadryl), anaphylactoid reaction to, *21* (Abst.)
Disease, cutaneous, hypersensitivity to deoxyribonucleic acid in, *68* (Abst.)
Disease—Cont'd
disseminated eosinophilic collagen, and eosinophilic leukemia—disease entity? *70* (Abst.)
Distinguished Service Award, 1965, American Academy of Allergy, presentation to Dr. William B. Sherman, 225
Diuretic drugs, cross-reactions between antibacterial sulphonamides and, *69* (Abst.)
DNA-coated bentonite, thermally denatured, antibodies in systemic lupus erythematosus and myasthenia gravis which react with, *23* (Abst.)
Donors, transplantation tolerance induced in adult mice by protein overloading of, *21* (Abst.)
Drug eruption, fixed: ethchlorvynol, *85* (Abst.)
Drugs, committee on, of the Research Council. Report of subcommittee for study of effects of papain in treatment of bronchospastic disease, 488
diuretic, cross-reaction between antibacterial sulphonamides and, *69* (Abst.)
hepatic reactions to, *36* (Abst.)
photosensitivity induced by, *67* (Abst.)
Duhan, Eliot, obituary, 310
Dust, house, allergen, allergenic similarity between extract obtained from hay and, 218 (Abst.)
purification, *46* (Abst.)
allergens, antigenic components (Phillips and Northey), 303
Dye, azo, carcinogens, contact reactivity to, *82* (Abst.)
Dysfunction, pulmonary, in systemic lupus erythematosus, *37* (Abst.)
Dysgammaglobulinemia, further observations in, 216 (Abst.)

E

Eczema vaccinatum, *3* (Abst.)
Eczematous contact dermatitis, mechanism of, spread of sensitization in humans (Grolnick), 333
hand eruption, chromium in welding fumes as cause, *34* (Abst.)
Edema, angioneurotic, hereditary, action of complement in; role of C'1-esterase, *76* (Abst.)
biochemical abnormalities in (Burdon et al.), 546
two genetic variants, *78* (Abst.)
Editorial (Talmage), 503
Egg-white and horse serum anaphylactic shock and glycemic states in rats, *79* (Abst.)
Electrical activity of vagus nerve and anaphylactic shock induced after electrical stimulation of brain, *61* (Abst.)
after "antianaphylactic" stimulation of brain, *45* (Abst.)

Electron microscope observations on localization of antigen in tuberculin reaction, *92* (Abst.)
Emphysema, asthma and, effect of air flow and oral pressure on mechanics of breathing in patients with, *18* (Abst.)
and chronic bronchial asthma, dichlorphenamide in, *48* (Abst.)
chronic bronchitis and, air trapping in, *16* (Abst.)
patients, changes in lung volumes of, upon short exposure to simulated altitude of 18,000 feet, *55* (Abst.)
Emulsion treatment, grass and ragweed, changes in conjunctival sensitivity following (Sobel), 532
Endotoxin, protective action on allergic phenomena (Bonilla-Soto), 249
shock, canine, initial stage as expression of anaphylactic shock: studies on complement titers and plasma histamine concentrations, *44* (Abst.)
toxicity, infection and, role of thymus in resistance to, *87* (Abst.)
Eosinophilia, experimental, 206 (Abst.) (Cohen and Sapp), 415
penicillin hypersensitivity, acute pericarditis, and, *52* (Abst.)
Eosinophilic granuloma of gastrointestinal tract caused by herring parasite, *29* (Abst.)
leukemia and disseminated eosinophilic collagen disease—disease entity? *70* (Abst.)
Epitheliomas, basal cell, effects of allergic contact dermatitis on, *68* (Abst.)
Epithelium, ciliated respiratory, tissue culture studies of (Kent et al.), 39
Epoxy resins, allergens, *35* (Abst.)
Eruption, fixed drugs, ethchlorvynol, *85* (Abst.)
Erythema and other symptom-complex due to sensitivity to common foods, chronic arthritis associated with, *53* (Abst.)
Erythroid aplasia, bullous skin eruption, and lupus erythematosus cell phenomenon, thymoma associated with, *22* (Abst.)
Ethchlorvynol, fixed drug eruption from, *85* (Abst.)
Exercise, changes in $V_E$btps, VO_2, and, *66* (Abst.)
effect on hospitalized asthmatic patients, 201 (Abst.)
Exfoliative dermatitis, 101 cases, *19* (Abst.)
Expiratory flow rate and pulmonary resistance in asthmatic children (Senterre and Geubelle), 538
Extract, alum-precipitated pyridine ragweed, effect on guinea pigs (Gordon and Mansmann), 239
Extracts, poison ivy, and fluorodinitrobenzene, contact sensitivity to, in rhesus monkeys, *41* (Abst.)
Eye tests with defatted and undefatted grass pollens, comparative study, 207 (Abst.)

F

Familial occurrence of immediate wheal reactions caused by antigenic stimuli, *42* (Abst.)
Fetal skin, human, histamine and mast cell in, *8* (Abst.)
Fever of delayed hypersensitivity, effect of irradiation on, *79* (Abst.)
Fibrocystic disease, site of sweat gland defect in, *72* (Abst.)
Fine structure, cytoplasmic, in airborne pollen, *66* (Abst.)
5OH-indole acetic acid, neutralization of serotonin with antibodies to, 204 (Abst.)
Flow rate, expiratory, and pulmonary resistance in asthmatic children (Senterre and Geubelle), 538
Fluorescent antibody study for antinuclear antibodies in bronchial asthma (Leopold, Rynes, and Stoloff), 175
Fluoride, allergic reactions to, *69* (Abst.)
Fluorodinitrobenzene, contact sensitivity in rhesus monkeys to poison ivy extracts and, *41* (Abst.)
Foods, common, chronic uveitis due to sensitivity to, with report of two cases, *62* (Abst.)
sensitivity to, chronic arthritis associated with erythema and other symptom-complex due to, *53* (Abst.)
Formaldehyde as contact allergen in textiles, *34* (Abst.)
Formalinized pollen protein precipitates with tannic acid or urea in desensitization treatment (Naterman), 226
Fractions, ragweed, immunologic and clinical properties of two purified (Meacock et al.), 1
Freon nebulized isoproterenol in asthmatic children, intermittent positive-pressure breathing apparatus vs., 200 (Abst.)
Fumes, welding, chromium in, as cause of eczematous hand eruption, *34* (Abst.)
Fungi, airborne, in Los Angeles, California (Shapiro, Eisenberg, and Binder), 472
lichenized, allergic contact dermatitis from usnic acid produced by, *83* (Abst.)

G

Gamma globulin (*See* Globulin)
Garver, William P., obituary, 311
Gastric parietal cell auto-antigen, human, characterization, *91* (Abst.)
Gastrointestinal tract, eosinophilic granuloma of, caused by herring parasite, *29* (Abst.)
Genetic control in guinea pigs of immune response to conjugates of haptens and poly-L-lysine, *43* (Abst.)
influence on experimental allergic thyroiditis in guinea pigs, *42* (Abst.)
variants, two, in hereditary angioneurotic edema, *78* (Abst.)

Giardia lamblia, alimentary hypersensitivity induced by, *80* (Abst.)
Gland, sweat, defect, site of, in fibrocystic disease, *72* (Abst.)
Globulin, β_{2A}, in serum of allergic individuals, density-gradient sedimentation of skin-sensitizing antibody and, *58* (Abst.)
gamma, and its effect on infection precipitated asthmatic episodes in children, *2* (Abst.)
myasthenia gravis serum, reactivity with skeletal muscle and thymus demonstrated by immunofluorescence, *74* (Abst.)
studies on in vivo binding to muscle: myasthenia gravis, *59* (Abst.)
Globulins, altered, within cutaneous tissue, cellular responses to (Cohen and Sapp), 206, 415
gamma-A in individual sensitized to rattlesnake (crotalid) venom, association of skin-sensitizing antibody with, 193 (Abst.)
7S γ_2, association of skin-sensitizing antibody with, *94* (Abst.)
Glomerular ultrastructural changes induced by nephrotoxic serum, pathogenesis of, *55* (Abst.)
Gluten intolerance, cow's milk induced malabsorption as precursor, *86* (Abst.)
Glycemic states and horse-serum and egg-white anaphylactic shock in rats, *79* (Abst.)
Granuloma, cyclophosphamide-prednisone therapy of lethal midline, *71* (Abst.)
eosinophilic, of gastrointestinal tract caused by herring parasite, *29* (Abst.)
Granulomatosis, Wegener's, case report and evaluation of diagnostic technique used in disease of chest, *54* (Abst.)
Granulomatous hypersensitivity after use of zirconium-containing poison oak lotions, *35* (Abst.)
pulmonary response, accelerated, in rabbits, dissociation of tuberculin hypersensitivity as mediator, *42* (Abst.)
Grass, hemagglutinating antibodies to, in maternal and cord sera (Allansmith and Buell), 409
pollens, defatted and undefatted, comparative study of eye tests with, 207 (Abst.)
and ragweed emulsion treatment, changes in conjunctival sensitivity following (Sobel), 532
Guanethidine and phenoxybenzamine in atopic dermatitis, clinical trial, *50* (Abst.)
Guinea pig antibodies, specificity of, and delayed hypersensitivity, *56* (Abst.)

H

Halpin, Lawrence J., obituary, 405
Hand eruption, eczematous, chromium in welding fumes as cause, *34* (Abst.)
Haptenic material from timothy pollen, isolation and immunochemical properties of, *26* (Abst.)
Hapten-protein conjugates, specificity in inhibition of cell migration, *12* (Abst.)
Haptens, organ-specific, studies on immunization with, *9* (Abst.)
and poly-L-lysine, genetic control in guinea pigs of immune response to conjugates, *43* (Abst.)
Hashimoto's thyroiditis and primary hypothyroidism, 77 (Abst.)
Hawaii, pollen and mold survey in (Roth and Durham), 186
Hay extract and house dust allergen, allergenic similarity between, 218 (Abst.)
fever, asthma and, *82* (Abst.)
comparison of Antigen E of ragweed, Allpyral, Coca's extract of ragweed, and placebos in treatment, 214 (Abst.)
ragweed, natural history (Rackemann and Lamsa), 258
poison oak extract in, *2* (Abst.)
treatment with Allpyral extracts (Tuft and Torsney), 265
subjects and bronchial asthma patients, comparative action of acetyl-beta-methylcholine, histamine, and pollen antigens in (Townley, Dennis, and Itkin), 121
suppression by local action of intranasal dexamethasone aerosol, 202 (Abst.)
symptoms, suppression with intranasal dexamethasone aerosol (Norman and Winkenwerder), 284
Heart muscle antibodies in rheumatic fever and other diseases, *58* (Abst.)
Hemagglutinating antibodies to grass in maternal and cord sera (Allansmith and Buell), 207, 409
Hemagglutinins, serum, "non-allergic," studies on two patients with, anemia secondary to penicillin treatment, *94* (Abst.)
Hematuria and proteinuria associated with methicillin administration, *53* (Abst.)
Hemoglobin mass, effect of long-term corticosteroid therapy on total red-cell volume and, in asthmatic children, *32* (Abst.)
red-cell values and red-cell indices in children with bronchial asthma, effect of long-term corticosteroid therapy on, *33* (Abst.)
Hemolytic anemia, autoimmune, case with circulating cold agglutinins presenting for many years as "hypersplenism" and terminating in leukemia, *43* (Abst.)
complicating aortic-valve surgery, *38* (Abst.)
Hemorrhagic Shwartzman reaction, local, inhibition by a polypeptide possessing potent antiprotease activity, *24* (Abst.)

Hepatic reactions to drugs, *36* (Abst.)
Hepatitis, cholestatic, following administration of sodium oxacillin, *53* (Abst.)
Hepatolenticular degeneration (Wilson's disease), nephrotic syndrome as complication of penicillamine therapy for, *38* (Abst.)
Hereditary angioneurotic edema, action of complement in; role of C'1-esterase, *76* (Abst.)
biochemical abnormalities in (Burdon et al.), 546
two genetic variants, *78* (Abst.)
Herring parasite, eosinophilic granuloma of gastrointestinal tract caused by, *29* (Abst.)
Heterologus skin sensitizing properties, subclasses of human IgG molecules differing in, *58* (Abst.)
Hexachlorophene and salicylanilides, cross-sensitivities to, *20* (Abst.)
Histamine and acetyl-beta-methylcholine, or allergen, circadian reactivity rhythms of human skin to, and adrenal cycle (Reinberg, Sidi, and Ghata), 273
nonspecificity of bronchoconstricting effect, in patients with obstructive disease, 213 (Abst.)
and pollen antigens in hay fever subjects and bronchial asthma patients, comparative action of (Townley, Dennis, and Itkin), 121
concentrations, plasma, studies on complement titers and, initial stage of canine endotoxin shock as expression of anaphylactic shock, *44* (Abst.)
differences in amount available for release in lungs of guinea pigs susceptible and resistant to acute anaphylaxis, *28* (Abst.)
distribution and properties of anaphylactic and venom-induced slow-reacting substance and, *28* (Abst.)
in human disease, *6* (Abst.)
and mast cells in human fetal skin, *8* (Abst.)
Mecholyl, and allergen sensitivity, effect of beta-adrenergic blockade on, 213 (Abst.)
release from human leukocytes by lysolecithin, 195 (Abst.)
and ragweed binding in allergic subjects, 196 (Abst.)
from ragweed-sensitive leukocytes, influence of normal and allergic human serum on, 195 (Abst.)
skin, and delayed skin reactions, *33* (Abst.)
Historian's report, American Academy of Allergy (Cohen), 476
History, natural, of ragweed hay fever (Rackemann and Lamsa), 258
Home visits, value in treatment of allergic patients, *36* (Abst.)
Homografts, lymphoid, fate of, with diffusion chambers placed in sensitized hosts, *14* (Abst.)
Homologous skin, response to immunization with, *41* (Abst.)
Honeybee extract, skin reactions of normal persons to (Bernton and Brown), 315
Hooker, Sanford B., obituary, 403
Horse-serum and egg-white anaphylactic shock and glycemic states, in rats, *79* (Abst.)
House dust, allergen, allergenic similarity between extract obtained from hay and, 218 (Abst.)
purification, *46* (Abst.)
allergens, antigenic components (Phillips and Northey), 303
Human allergies, passive transfer to prosimians: skin-reactions in lemuroid, *Nycticebus coucang* (slow loris), *38* (Abst.)
lymphocytes, specific response to pollen antigen in tissue culture, 197 (Abst.)
smooth muscle, sensitized, reaction to allergen in Schultz-Dale experiments, 198 (Abst.)
Hydralazine toxicity, persistence of antinuclear factors in sera of patients with history of, 196 (Abst.)
Hydrazine hydrobromide solder flux, dermatitis from, *34* (Abst.)
Hydrocortisone, C^{14}, penetration through normal skin, *71* (Abst.)
Hydroxychloroquine, studies of effects on immune responses, *94* (Abst.)
Hymenoptera, studies on (Bernton and Brown), 315
Hyperbaric pressure levels, changes in lung volume and spirometric measurements following exposure to, *89* (Abst.)
Hypergammaglobulinemia—role of immunoglobulins (γG, γA, γM) (Claman and Merrill), 463
Hyperinflation, pulmonary diffusing capacity, membrane diffusing capacity, and capillary blood volume in children with asthma and, 211 (Abst.)
Hypersensitivity, alimentary, induced by *Giardia lamblia*, *80* (Abst.)
contact, delayed, in guinea pig, *84* (Abst.)
delayed, fever of, effect of irradiation on, *79* (Abst.)
and inhibition of cell migration by picrylated protein, relationship of, *72* (Abst.)
by measles virus, alterations in, 217 (Abst.)
specificity of guinea pig antibodies and, *56* (Abst.)
transfer in man by lymphocyte preparations of peripheral blood, 196 (Abst.)
in vitro, *11*, *12* (Absts.)
delayed-type, and formation of circulating antibody, independence of, *73* (Abst.)

Hypersensitivity, delayed-type—Cont'd
and immunologic tolerance, in vitro cytotoxicity in, *11* (Abst.)
to deoxyribonucleic acid in cutaneous disease, *68* (Abst.)
detection by indirect rat mast cells degranulation, *89* (Abst.)
diseases of—disseminated intravascular coagulation, *88* (Abst.)
immediate type, passive transfer from man to other primates, *93* (Abst.)
induced, to cold, *85* (Abst.)
penicillin, acute pericarditis, and eosinophilia, *52* (Abst.)
evaluation of intradermal skin tests in, *5* (Abst.)
to sulphonamides. Cross-reactions between antibacterial sulphonamides and diuretic drugs, *69* (Abst.)
tuberculin, dissociation as mediator for accelerated pulmonary granulomatous response in rabbits, *42* (Abst.)
established, inhibition by methotrexate, *10* (Abst.)
"Hypersplenism," case of autoimmune hemolytic anemia with circulating cold agglutinins presenting as, and terminating in leukemia, *43* (Abst.)
Hypogammaglobulinemia, congenital, *60* (Abst.)
Hyposensitization injections, unusual form of local reaction to (Gellin and March), 234
Hypothyroidism, primary, and Hashimoto's thyroiditis, 77 (Abst.)

I

Iatrogenic bronchospasm during clinical trials of new mucolytic agent, acetylcysteine (Mucomyst), *18* (Abst.)
IgG molecules, human, differing in heterologous skin sensitizing properties, subclasses of, *58* (Abst.)
Ileum, monkey, demonstration of reagins in vitro with use of, 197 (Abst.)
Immune complexes initiating allergic wheal-and-flare reactions, nature of (Levine and Fellner) 342
response to conjugates of haptens and poly-L-lysine, genetic control in guinea pigs, *43* (Abst.)
induced by d-1 penicillamine, accelerated, *10* (Abst.)
responses, studies of effects of hydroxychloroquine on, *94* (Abst.)
Immunization with organ-specific haptens, studies on, *9* (Abst.)
response to, with homologous skin, *41* (Abst.)
Immunochemical properties, isolation and, of haptenic material from timothy pollen, *26* (Abst.)
Immunodiffusion, simple micromethod for, *94* (Abst.)
Immunoelectrophoretic identification of human serum proteins on cellulose-acetate medium, *91* (Abst.)
Immunofluorescence, skeletal muscle and thymus demonstrated by, reactivity of myasthenia gravis serum γ-globulin with, *74* (Abst.)
Immunofluorescent staining, indirect, demonstration of skin antibodies in sera of pemphigus vulgaris patients by, *40* (Abst.)
studies in adult celiac disease, *92* (Abst.)
Immunoglobulins (γG, γA, γM) role in hypergammaglobulinemia (Claman and Merrill), 463
in skin of subjects with and without atopy, 205 (Abst.)
Immunological adjuvant, new, forward look at viral vaccines with special reference to, *29* (Abst.)
capacity, role of appendix in development, *39* (Abst.)
and clinical evaluation of purified fraction of ragweed pollen (delta) (Arbesman, Reisman, and Kunz), 29
properties of two purified ragweed fractions (Meacock et al.), 1
investigation of pigeon breeders' disease, 210 (Abst.)
properties of bee venom, 217 (Abst.)
of chlorogenic acid-protein conjugates, 204 (Abst.)
response of patients with psoriasis, *68* (Abst.)
to psoriatic skin, *51* (Abst.)
responses of atopic and normal individuals to aerosolized dextran, 194 (Abst.)
to parenterally injected alum precipitated antigen, comparison, *90* (Abst.)
responsiveness in uremia, suppression of, *77* (Abst.)
significance of thymus. Delayed skin reaction of thymectomized rat, *57* (Abst.)
studies of human sera from allergic individuals (Langlois, Shulman, and Arbesman), 12
of individuals clinically sensitive to ragweed following nonemulsion depot antigen injections, 215 (Abst.)
in multiple sclerosis; incidence of circulating antibodies to dietary proteins and autoantigens, *78* (Abst.)
survey of forty-eight patients with myasthenia gravis, *39* (Abst.)
tolerance, delayed-type hypersensitivity and, in vitro cytoxicity in, *11* (Abst.)
unresponsiveness, studies in, *61* (Abst.)
variation, immunology, sources of, *78* (Abst.)
Immunology, *90* (Absts.)
sources of immunological variation, *78* (Abst.)
Indices, red-cell, hemoglobin red-cell values and, effect of long-term corticosteroid therapy on hemoglobin in children with bronchial asthma, *33* (Abst.)

Infant feeding in celiac disease, *46* (Abst.)
Infarction, post myocardial, and postpericardiotomy syndromes, antiheart antibodies in, *56* (Abst.)
Infection and endotoxin toxicity, role of thymus in resistance to, *87* (Abst.)
Inflammation, arthus-type, reactivation, by thiol compounds, *15* (Abst.)
earliest changes in acute normergic and allergic, *70* (Abst.)
Influenza vaccine, increased response of asthmatic subjects to methacholine after (Ouellette and Reed), 558
killed virus, effect on response of normal and asthmatic subjects to methacholine aerosol, 212 (Abst.)
Inhalation of coal tar vapor, basophil degranulation following, *84* (Abst.)
quantitative, studies with challenge apparatus, 212 (Abst.)
Inhibition of cell migration by picrylated proteins, relationship of delayed hypersensitivity and, *72* (Abst.)
Injections, hyposensitization, unusual form of local reaction to (Gellin and March), 234
Insects, stinging, allergic response to (Arbesman, Langlois, and Shulman), 147 (Langlois, Shulman, and Arbesman), 12, 109
Interstitial pulmonary disease, newly observed, pigeon-breeders' lung, *86* (Abst.)
Intradermal skin tests in penicillin hypersensitivity, evaluation of, *5* (Abst.)
Intranasal dexamethaxone aerosol, suppression of hay fever by local action, 202 (Abst.)
symptoms with (Norman and Winkenwerder), 284
Intraoral patch testing, improved method, *20* (Abst.)
Intrarectal antigen, "Auer colitis" in rabbits induced by, *11* (Abst.)
Intravascular coagulation, disseminated, diseases of hypersensitivity, *88* (Abst.)
Iodotherapy for childhood asthma, controlled study of, 201 (Abst.)
Irradiation, effect on fever of delayed hypersensitivity, *79* (Abst.)
Isoproterenol, Freon nebulized, in asthmatic children, intermittent positive-pressure breathing apparatus vs., 200 (Abst.)

L

Larson, Nils Paul, obituary, 407
Lazarowitz, Leopold, obituary, 406
Lemuroid, *Nycticebus coucang* (slow loris), passive transfer of human allergies to prosimians: skin-reactions in, *38* (Abst.)
Leukemia, case of autoimmune hemolytic anemia with circulating cold agglutinins presenting as "hypersplenism" and terminating in, *42* (Abst.)
Leukemia—Cont'd
eosinophilic, and disseminated eosinophilic collagen disease—disease entity? *70* (Abst.)
Leukocytes, human, histamine release from, by lysolecithin, 195 (Abst.)
ragweed-sensitive, influence of normal and allergic human serum on histamine release from, 195 (Abst.)
Lichenized fungi, allergic contact dermatitis from usnic acid produced by, *83* (Abst.)
Lichens, allergy to, *83* (Abst.)
Light sensitivity and lupus erythematosus, *67* (Abst.)
Lincomycin, new antibiotic, in respiratory allergy associated with infection *64* (Abst.)
Local reaction to hyposensitization injections, unusual form (Gellin and March), 234
Lung, pigeon-breeder's, newly observed interstitial pulmonary disease, *86* (Abst.)
purpura, immunoallergic, treated with azathioprine, *63* (Abst.)
volume and spirometric measurements, changes in, following exposure to hyperbaric pressure levels, *89* (Abst.)
volumes of emphysema patients, changes in, upon short exposure to simulated altitude of 18,000 feet, *55* (Abst.)
Lungs of guinea pigs susceptible and resistant to acute anaphylaxis, differences in amount of histamine available for release in, *28* (Abst.)
Lupus erythematosus cell phenomenon, erythroid apalasia, bullous skin eruption, and thymoma associated with, *22* (Abst.)
light sensitivity and, *67* (Abst.)
systemic, antinuclear antibodies in families of patients with, *13* (Abst.)
and myasthenia gravis, antibodies in, which react with thermally denatured DNA-coated bentonite, *23* (Abst.)
pulmonary dysfunction in, *37* (Abst.)
Lupuslike illness precipitated by procainamide hydrochloride, *52* (Abst.)
Lymphocyte plasma, rabbit anti-rat, effect on immune response of rats thymectomized in adult life, *91* (Abst.)
preparations of peripheral blood, transfer of delayed hypersensitivity in man by, 196 (Abst.)
Lymphocytes, human, specific response to pollen antigen in tissue culture, 197 (Abst.)
Lymphoid homografts, fate of, with diffusion chambers placed in sensitized hosts, *14* (Abst.)
tissue, central, development of "autoimmune processes" in rabbits after neonatal removal of, *59* (Abst.)

Lysolecithin, histamine release from human leukocytes by, 195 (Abst.)

M

Mais, Edward L., obituary, 501
Malabsorption, cow's milk induced, as precursor of gluten intolerance, *86* (Abst.)
Mango, ingestion of, shock reaction following, *86* (Abst.)
Markow, Harry, obituary, 565
Mast cell, role in anaphylaxis in mouse, *15* (Abst.)
cells and basophils, role in hypersensitivity, *72* (Abst.)
in human fetal skin, histamine and, *8* (Abst.)
rat, degranulation, indirect, detection of hypersensitivity by, *89* (Abst.)
Maternal and cord sera, hemagglutinating antibodies to grass in, 207 (Abst.)
Measles virus, alterations in delayed hypersensitivity by, 217 (Abst.)
Measurement of nasal airway resistance (Solomon et al.), 62
Mecholyl, dose response curve to, 212 (Abst.)
histamine, and allergen sensitivity, effect of beta-adrenergic blockade on, 213 (Abst.)
Membrane diffusing capacity, pulmonary diffusing capacity, and capillary blood volume in children with asthma and hyperinflation, 211 (Abst.)
6-Mercaptopurine, effect on antibody production in atopic individuals, 208 (Abst.)
on immune response in man, *24* (Abst.)
Metaproterenol aerosolized, treatment of acute asthma by, measured by pulmonary ventilatory studies, *82* (Abst.)
Methacholine aerosol, effect of killed influenza virus vaccine on response of normal and asthmatic subjects to, 212 (Abst.)
increased response of asthmatic subjects to, after influenza vaccine (Ouellette and Need), 558
Methicillin administration, hematuria and proteinuria associated with, *53* (Abst.)
tolerance after penicillin G anaphylaxis, *21* (Abst.)
Methopyrapone, pituitary function in patients with bronchial asthma measured indirectly by, *48* (Abst.)
Methotrexate, inhibition of established tuberculin hypersensitivity by, *10* (Abst.)
Micromethod, simple, for immunodiffusion, *95* (Abst.)
Migration, cell, by antigens, specificity of inhibition, *11* (Abst.)
Milk allergy, identification of antibodies in, by radioimmunoelectrophoresis, 199 (Abst.)
antibodies in Mongoloids, spontaneously occurring, *6* (Abst.)
in rabbits fed, and their similarities to antibodies in some human sera (Rothberg and Farr), 450
cow's, induced malabsorption as precursor of gluten intolerance, *86* (Abst.)
feeding, specificities of antibodies to bovine serum albumin and alphalactalbumin after, 199 (Abst.)
proteins, heated, antigenicity, *26* (Abst.)
Mold survey, pollen and, in Hawaii, July, 1963, to June, 1964 (Roth and Durham), 186
Mold-sensitive patients in relation to presence of molds in their home, with skin test reactions in, *30* (Abst.)
Molecules, human IgG, subclasses of, differing in heterologous skin sensitizing properties, *58* (Abst.)
Mongoloids, spontaneously occurring milk antibodies in, *6* (Abst.)
Monkey's, rhesus, contact sensitivity to poison ivy extracts and fluorodinitrobenzene, *41* (Abst.)
Mononucleosis, infectious, and serum sickness sera, reactions in tissue cultures, *37* (Abst.)
Mucolytic agent, acetylcysteine (Mucomyst), iatrogenic bronchospasm during clinical trials, *18* (Abst.)
Mucomyst, saline, and Alevaire, effect on sputum volume and consistency, 211 (Abst.)
Multergan, effect on ventilatory capacities in patients with generalized airways obstruction, *66* (Abst.)
Multiple sclerosis, immunological studies in; incidence of circulating antibodies to dietary proteins and autoantigens, *78* (Abst.)
Muscle, sensitized human smooth, reaction to allergen in Schultz-Dale experiments, 198 (Abst.)
skeletal, and thymus demonstrated by immunofluorescence, reactivity of myasthenia gravis serum γ-globulin with, *74* (Abst.)
smooth, relaxation, study on mechanism, 205 (Abst.)
Muscle-wasting disorders, other, and polymyositis, circulating antibodies in, *76* (Abst.)
Mustard, contact dermatitis from synthetic oil, *20* (Abst.)
Myasthenia gravis, immunologic survey of forty-eight patients, *39* (Abst.)
and lupus erythematosus, systemic, antibodies in, which react with thermally denatured DNA-coated bentonite, *23* (Abst.)
serum γ-globulin, reactivity with skeletal muscle and thymus demonstrated by immunofluorescence, *74* (Abst.)

Myasthenia gravis—Cont'd
studies on in vivo binding of gamma globulin to muscle, *59* (Abst.)
Myeloma, multiple, evolution, *71* (Abst.)

N

Nasal airway, instrument for measuring cross-sectional area, 217 (Abst.)
resistance, measurement of (Solomon et al.), 62
Neomycin sensitivity, detection of, *84* (Abst.)
Neonatal removal of central lymphoid tissue, development of "autoimmune processes" in rabbits after, *59* (Abst.)
Nephrotic syndrome as complication of penicillamine therapy for hepatolenticular degeneration (Wilson's disease), *88* (Abst.)
Nephrotoxic serum, pathogenesis of glomerular ultrastructural changes induced by, *55* (Abst.)
Nerve, vagus, electrical activity after "anti-anaphylactic" stimulation of brain, *45* (Abst.)
Nineteen S and 7S antibody, passively administered, specific inhibition of antibody formation by, *13* (Abst.)
Nitrogen status of ragweed plants, effect of certain pollen characteristics (Brennan, Leone, and Daines), 446
Nodules, penile, as major manifestation of subacute angiitis, *23* (Abst.)
Nonemulsion depot antigen injections, immunologic studies of individuals clinically sensitive to ragweed following, 215 (Abst.)
Nongranulomatous uveitis and arthritis, relation between (Van Metre et al.), 158
Nonhuman primates, use for studies of reagin (Buckley and Metzgar), 382
Normal and allergic human serum, influence of histamine release from ragweed-sensitive leukocytes, 195 (Abst.)

O

Obituaries, 310, 403, 497
Omstead, Trevalyn W., obituary, 314
Oophorectomy, autoimmune progesterone dermatitis cure by, *22* (Abst.)
Oral poison ivy antigen, basophilia degranulation induced by, *85* (Abst.)
Orange, failure of patients allergic to green coffee to react to (Layton, Greene, and Panzani), 84
Organ-specific haptens, studies on immunization with, *9* (Abst.)
Orofacial dental deformities in children, allergy in relation to (Marks), 293
Oxacillin sodium, administration of, cholestatic hepatitis following, *53* (Abst.)

P

Papain, report of subcommittee for study of effects in treatment of bronchospastic disease. Committee on Drugs of Research Council, 488
Parasite, herring, eosinophilic granuloma of gastrointestinal tract caused by, *29* (Abst.)
Passive sensitization, acceptance of, by human atopic reagin, possible primate-ordinal specificity of (Layton), 523
transfer of human atopic allergies into lemurs, lorises, pottos, and Galagos (Layton), 523
Patch test reactions to basic chromium (III) sulfate, *34* (Abst.)
testing, intraoral, improved method, *20* (Abst.)
Pathogenesis of glomerular ultrastructural changes induced by nephrotoxic serum, *55* (Abst.)
Pathology of corticosteroid-treated asthma (Kenney and Palmer), 97
pharmacology, physiology, and, *87* (Absts.)
pCO_2 and pH, capillary blood, in status asthmaticus (Tsuchiya and Sukantz), 514
Pemphigus vulgaris patients, demonstration of skin antibodies in, by indirect immunofluorescent staining, *40* (Abst.)
d-1 Penicillamine, accelerated immune response induced by, *10* (Abst.)
d-Penicillamine, autoimmune hemolytic anemia treated with, *88* (Abst.)
Penicillamine therapy for hepatolenticular degeneration, nephrotic syndrome as complication, *88* (Abst.)
Penicillin allergy, results of comparative skin tests with penicilloyl-polylysine and penicillin in patients with, *49* (Abst.)
G anaphylaxis, methicillin after, *21* (Abst.)
hypersensitivity, acute pericarditis, and eosinophilia, *52* (Abst.)
evaluation of intradermal skin tests in, *5* (Abst.)
immune responses of human beings to, 198 (Abst.)
penicilloyl-polylysine and, in patients with penicillin allergy, results of comparative skin tests with, *49* (Abst.)
treatment, anemia secondary to, *94* (Abst.)
Penicillin-allergic and nonallergic patients, studies in, 198 (Abst.)
patient, anaphylactic reaction to tetracycline in, *69* (Abst.)
Penicilloyl-polylysine and penicillin in patients with penicillin allergy, results of comparative skin tests with, *49* (Abst.)
systemic manifestations after skin test with, *6* (Abst.)

Penile nodules as major manifestation of subacute angiitis, *23* (Abst.)
Peptides, allergenically active, isolation from water-soluble ragweed, 203 (Abst.)
Pericarditis, acute, penicillin hypersensitivity and eosinophilia, *52* (Abst.)
Peripheral blood, transfer of delayed hypersensitivity in man by lymphocyte preparations, 196 (Abst.)
pH and pCO_2, capillary blood, in status asthmaticus (Tsuchiya and Bukantz), 514
Phenoxybenzamine and guanethidine in atopic dermatitis, clinical trial, *50* (Abst.)
Photodermatitis, contact, from bithionol, *20* (Abst.)
Photosensitivity induced by drugs, *67* (Abst.)
  reaction to chlordiazepoxide, *51* (Abst.)
Physical conditioning in asthma, *66* (Abst.)
Picrylated proteins, relationship of delayed hypersensitivity and inhibition of cell migration by, *72* (Abst.)
Pigeon breeders' disease, immunologic investigation, 210 (Abst.)
  lung, newly observed interstitial pulmonary disease, *86* (Abst.)
Pituitary function in patients with bronchial asthma measured indirectly by methopyrapone, *48* (Abst.)
Placebos, Antigen E of ragweed, Allpyral, Coca's extract of ragweed in treatment of hay fever, comparison, 214 (Abst.)
Plasma cells, maturation after antigenic stimulation, *70* (Abst.)
  lymphocyte, rabbit anti-rat, effect on immune response of rats thymectomized in adult life, *91* (Abst.)
Poison ivy antigen, oral, basophilia degranulation induced by, *85* (Abst.)
  extracts and fluorodinitrobenzene, contact sensitivity to, in rhesus monkeys, *41* (Abst.)
  oak extract in ragweed hay fever, *2* (Abst.)
  lotions, granulomatous hypersensitivity after use of zirconium-containing, *35* (Abst.)
Pollen, airborne, cytoplasmic fine structure in, *66* (Abst.)
  antigen in tissue culture, specific response of human lymphocytes to, 197 (Abst.)
  antigens in hay fever subjects and bronchial asthma patients, comparative action of acetyl-beta-methylcholine, histamine, and (Townley, Dennis, and Itkin), 121
  birch, and aspirin psoriasis—study in salicylate hypersensitivity, *5* (Abst.)
  castor bean meal, and allergenic fraction, CB-1A, of *Ricinus communis*, antigenic specificity relationships of (Spies and Coulson), 423
  characteristics, effect of nitrogen status of ragweed plants on (Brennan, Leone, and Daines), 446
Pollen—Cont'd
  and mold survey in Hawaii, July, 1963, to June, 1964 (Roth and Durham), 186
  protein precipitates, formalinized, with tannic acid or urea in desensitization treatment (Naterman), 226
  ragweed, agglutination test with, 206 (Abst.)
    (delta), clinical and immunologic evaluation of purified fraction of (Arbesman, Reisman, and Kunz), 29
    present status of studies with, *48* (Abst.)
  timothy, isolation and immunochemical properties of haptenic material from, *26* (Abst.)
Pollenosis, ragweed, comparison of two dosage levels of aqueous extract in treatment, 214 (Abst.)
Pollens, defatted and undefatted grass, comparative study of eye tests with, 207 (Abst.)
Pollution, air, and respiratory disease in Tokyo-Yokohama area, *45* (Abst.)
Poly-L-lysine, genetic control in guinea pigs of immune response to conjugates of haptens and, *43* (Abst.)
Polymyositis and other muscle-wasting disorders, circulating antibodies in, *76* (Abst.)
Polypeptide possessing potent antiprotease activity, inhibition of local hemorrhagic Shwartzman reaction by, *25* (Abst.)
Pond, Dallas, obituary, 313
Positive-pressure, intermittent, breathing apparatus vs. Freon nebulized isoproterenol in asthmatic children, 200 (Abst.)
Post–myocardial infarction and postpericardiotomy syndromes, antiheart antibodies in, *56* (Abst.)
Postpericardiotomy and post–myocardial infarction syndromes, antiheart antibodies in, *56* (Abst.)
Precipitates, formalinized pollen protein, with tannic acid or urea in desensitization treatment (Naterman), 226
President's address, American Academy of Allergy (Mathews), 219
Primate-ordinal specificity, possible, of acceptance of passive sensitization by human atopic reagin (Layton), 523
Primates, nonhuman, use for studies of reagin (Buckley and Metzgar), 382
  passive transfer of immediate type hypersensitivity from man to other, *93* (Abst.)
Procainamide hydrochloride, lupuslike illness precipitated by, *52* (Abst.)
Progesterone dermatitis, autoimmune, cure by oophorectomy, *22* (Abst.)
Prophylaxis, dietary role in prevention of allergic disease in children, 202 (Abst.)

Prosimians, passive transfer of human allergies to, skin-reactions in lemuroid, *Nycticebus coucang* (slow loris), *38* (Abst.)
Protein, formalinized pollen, precipitates with tannic acid or urea in desensitization treatment (Naterman), 226
overloading of donors, transplantation tolerance induced in adult mice by, *21* (Abst.)
Proteins, dietary, and autoantigens, circulating antibodies to, incidence in multiple sclerosis, *78* (Abst.)
milk, heated, antigenicity of, *26* (Abst.)
picrylated, relationship of delayed hypersensitivity and inhibition of cell migration by, *72* (Abst.)
serum, human, immunoelectrophoretic identification of, on cellulose-acetate medium, *91* (Abst.)
Proteinuria and hematuria associated with methicillin administration, *53* (Abst.)
Psoriasis, aspirin, birch pollen and—study in salicylate hypersensitivity, *5* (Abst.)
immunologic response of patients with, *68* (Abst.)
Psoriatic skin, immunological response to, *51* (Abst.)
Pulmonary diffusing capacity, membrane diffusing capacity, and capillary blood volume in children with asthma and hyperinflation, 211 (Abst.)
disease, chronic, CNS disorder during mechanical ventilation in, *9* (Abst.)
effects of tracheotomy in, *8* (Abst.)
interstitial, newly observed, pigeon breeders' lung, *86* (Abst.)
dysfunction in systemic lupus erythematosus, *37* (Abst.)
function in symptom-free asthmatic patients, *33* (Abst.)
granulomatous response, accelerated, in rabbits, dissociation of tuberculin hypersensitivity as mediator, *42* (Abst.)
resistance and expiratory flow rate in asthmatic children (Senterre and Geubelle), 538
surfactant, canine, production of antibodies to, 211 (Abst.)
ventilatory studies, treatment of acute asthma by aerosolized metaproterenol measured by, *82* (Abst.)
"Purified" delta and Allpyral, ragweed preparations, clinical effectiveness, 215 (Abst.)
Purpura, lung, immunoallergic, treated with azathioprine, *63* (Abst.)
Pyridine ragweed extract, alum-precipitated, effect on guinea pigs (Gordon and Mansmann), 239

R

RA test, more specific method for detecting and quantitating rheumatoid factors using simple modification of, *93* (Abst.)
Radioimmunoelectrophoresis, identification of antibodies in milk allergy by, 199 (Abst.)
Radioimmunoelectrophoretic studies of ragweed-binding antibodies in allergic sera (Reisman, Arbesman, and Yagi), 362
Ragweed, alum-precipitated pyridine, extract, effect on guinea pigs (Gordon and Mansmann), 239
antigens, purified, clinical activity, 214 (Abst.)
binding antibodies in allergic sera, radioimmunoelectric studies of (Reisman, Arbesman, and Yagi), 362
histamine release and, in allergic subjects, 196 (Abst.)
clinical sensitivity to, following nonemulsion depot antigen injections, immunologic studies, 215 (Abst.)
fractions, immunologic and clinical properties of two purified (Meacock et al.), 1
and grass, emulsion treatment, change in conjunctival sensitivity following (Sobel), 532
hay fever, natural history (Rackemann and Lamsa), 258
poison oak extract in, *2* (Abst.)
treatment with Allpyral extracts (Tuft and Torsney), 265
plants, effect of nitrogen status of, on certain pollen characteristics (Brennan, Leone, and Daines), 446
pollen, agglutination test with, 206 (Abst.)
present status of studies with, *43* (Abst.)
purified fraction (delta), clinical and immunologic evaluation (Arbesman, Reisman, and Kunz), 29
pollenosis, comparison of two dosage levels of aqueous extract in treatment, 214 (Abst.)
sensitive patients, pilot study (Kravis, Decks, and Whitney), 23
two preparations ("purified" delta and Allpyral), clinical effectiveness, 215 (Abst.)
water-soluble, isolation of allergenically active peptides from, 203 (Abst.)
Ragweed-sensitive leukocytes, influence of normal and allergic human serum on histamine release from, 195 (Abst.)
Rattlesnake (crotalid) venom, association of skin-sensitizing antibody with gamma-A globulins in individual sensitized to, 193 (Abst.)
Reaction, local, to hyposensitization injections, unusual form (Gellin and March), 234
Reactivity, contact, to azo dye carcinogens, *82* (Abst.)

Reagin, atopic, human, possible primate-ordinal specificity of acceptance of passive sensitization by (Layton), 523
in tears (Settipane, Connell, and Sherman), 92
use of nonhuman primates for studies of (Buckley and Metzgar), 382
Reaginic activity, association with γ_2- and γ_{1M}-globulins in serum sickness (Terr and Bentz), 433
Reagins, demonstration, in vitro with use of monkey ileum, 197 (Abst.)
Red-cell, hemoglobin, values and red-cell indices in children with bronchial asthma, effect of long-term corticosteroid therapy on, *33* (Abst.)
total, volume and hemoglobin mass in asthmatic children, effect of long-term corticosteroid therapy, *32* (Abst.)
Renal transplants, connective-tissue disease and rheumatoid factors in patients with, *89* (Abst.)
Reply (to Effect of antihistamines) (Townley), 492 (Corr.)
Research Council, American Academy of Allergy, activities of, 1964-1965 (Cohen), 483
Committee on Drugs of, report of subcommittee for study of effects of papain in treatment of bronchospastic disease, 488
Resins, epoxy, allergens in, *35* (Abst.)
Resistance, nasal airway, measurement of (Solomon et al.), 62
Respiratory allergy associated with infection, Lincomycin, new antibiotic in, *64* (Abst.)
disease, air pollution and, in Tokyo-Yokohama area, *45* (Abst.)
epithelium, ciliated, tissue culture studies of (Kent et al.), 39
function studies in patients with certain connective tissue disorders, *90* (Abst.)
Rheumatic fever and other diseases, heart muscle antibodies in, *58* (Abst.)
Rheumatoid arthritis, Takayashu's arteritis and, *23* (Abst.)
factors, connective-tissue disease and, in patients with renal transplants, *89* (Abst.)
more specific method for detecting and quantitating, using simple modification of RA tests, *93* (Abst.)
Rhinitis, allergic, indirect basophil degranulation test in, *49* (Abst.)
Rh-negative mothers, attempt to prevent sensitization of, by injection of anti-D serum, *79* (Abst.)
Rhythms, circadian reactivity, of human skin to histamine or allergen and adrenal cycle (Reinberg, Sidi, and Ghata), 273
Ricinus communis, antigenic specificity relationships of castor bean meal, pollen and allergenic fraction CB-1A of, (Spies and Coulson), 423
Rom, Jack, obituary, 500

S

Salicylanilides, hexachlorophene and, cross-sensitivities to, *20* (Abst.)
Salicylate hypersensitivity, study in—birch pollen and aspirin psoriasis, *5* (Abst.)
Saline, Alevaire, and Mucomyst, effect on sputum volume and consistency, 211 (Abst.)
Schultz-Dale experiments, reaction of sensitized human smooth muscle to allergen in, 198 (Abst.)
Sclerosis, multiple, immunological studies in; incidence of circulating antibodies to dietary proteins and autoantigens, *78* (Abst.)
Segmental atelectasis, 200 (Abst.)
Sensitivity to common foods, chronic arthritis associated with erythema and other symptom-complex due to, 53 (Abst.)
chronic uveitis due to, with report of two cases, *62* (Abst.)
conjunctival, changes in, following grass and ragweed emulsion treatment (Sobel), 532
contact, in atopic dermatitis, *4* (Abst.)
light, and lupus erythematosus, *67* (Abst.)
Sensitization in eczematous contact dermatitis, mechanism of spread in humans (Grolnick), 333
passive, by human atopic reagin, possible primate-ordinal specificity of acceptance (Layton), 523
of Rh-negative mothers, attempt to prevent, by injection of anti-D serum, *79* (Abst.)
to skin, attempts at, in guinea pigs, *60* (Abst.)
Sera of allergic persons, increased incidence of circulating anti-beef albumin in (Barrick and Farr), 374
radioimmunoelectrophoretic studies of ragweed-binding antibodies in (Reisman, Arbesman, and Yagi), 362
human, antibodies in rabbits fed milk and their similarities to antibodies in (Rothberg and Farr), 450
anti-lens antibody in, *76* (Abst.)
maternal and cord, hemagglutinating antibodies to grass in (Allansmith and Buell), 409
of pemphigus vulgaris patients, demonstration of skin antibodies in, by indirect immunofluorescent staining, *40* (Abst.)
Serotonin, neutralization, with antibodies to 5OH-indole acetic acid, 204 (Abst.)
Serum of allergic individuals, density-gradient sedimentation of skin-sensitizing antibody and β_{2A}-globulin in, *58* (Abst.)
anti-D, injection of, attempt to prevent sensitization of Rh-negative mothers by, *79* (Abst.)

Serum—Cont'd
canine antiragweed (Patterson et al.), 138
diabetic and normal, antibody-like activity in, measured by complement consumption, *75* (Abst.)
γ-globulin, myasthenia gravis, reactivity, with skeletal muscle and thymus demonstrated by immunofluorescence, *74* (Abst.)
horse, and egg-white anaphylactic shock and glycemic state, in rats, *79* (Abst.)
nephrotoxic, pathogenesis of glomerular ultrastructural changes induced by, *55* (Abst.)
normal and allergic human, influence on histamine release from ragweed-sensitive leukocytes, 195 (Abst.)
sickness and infectious mononucleosis sera, reactions in tissue cultures, *37* (Abst.)
skin-sensitizing antibodies in (Terr and Bentz), 193, 433
Seven S antibody, 19S and, passively administered, specific inhibition of antibody formation by, *13* (Abst.)
γ_2-globulins, association of skin-sensitizing antibody with, 194 (Abst.)
Sherman, Dr. William B., receives the 1965 American Academy of Allergy Distinguished Service Award, 225
Shock, anaphylactic, egg-white and horse-serum, and glycemic states in rats, *79* (Abst.)
endotoxin, canine, initial stage as expression of anaphylactic shock: studies on complement titers and plasma histamine concentrations, *43* (Abst.)
reactions following ingestion of mango, *86* (Abst.)
Shwartzman reaction, hemorrhagic, local, inhibition by polypeptide possessing potent antiprotease activity, *25* (Abst.)
Skeletal muscle and thymus demonstrated by immunofluorescence, reactivity of myasthenia gravis serum γ-globulin with, *74* (Abst.)
Skin antibodies, demonstration in sera of pemphigus vulgaris patients by indirect immunofluorescent staining, *40* (Abst.)
attempts at sensitization to, in guinea pigs, *60* (Abst.)
eruption, bullous, erythroid aplasia, and lupus erythematosus cell phenomenon, thymoma associated with, *22* (Abst.)
histamine and delayed skin reactions, *33* (Abst.)
homologous, response to immunization with, *41* (Abst.)
human, circadian reactivity to histamine or allergen and adrenal cycle (Reinberg, Sidi, and Ghata), 273
immunoglobulins in, in subjects with and without atopy, 205 (Abst.)
Skin—Cont'd
normal, penetration of ^{14}C hydrocortisone through, *71* (Abst.)
psoriatic, immunological response to, *51* (Abst.)
reaction, delayed in thymectomized rat, immunological significance of thymus, *57* (Abst.)
of normal persons to honeybee extract (Bernton and Brown), 315
reactions in lemuroid, *Nycticebus coucang* (slow loris), passive transfer of human allergies to prosimians, *38* (Abst.)
reactivity, delayed and immediate types, induced in guinea pigs by variation in dosages of antigens, *62* (Abst.)
test with penicilloyl-polylysine, systemic manifestations after, *6* (Abst.)
reactions in mold-sensitive patients in relation to presence of molds in their home, *30* (Abst.)
tests, comparative, with penicilloyl-polylysine and penicillin in patients with penicillin allergy, *49* (Abst.)
intradermal, evaluation in penicillin hypersensitivity, *5* (Abst.)
wheal-and-flare allergic, reactions in man, nature of antigen-antibody complexes initiating, 199 (Abst.)
Skin-reactive properties of allergen-reagin complexes (Ishizaka and Ishizaka), 70
Skin-sensitizing antibodies in serum sickness (Terr and Bentz), 193, 433
antibody, association with gamma-A globulins in individual sensitized to rattlesnake (crotalid) venom, 193 (Abst.)
from antibodies which bind antigen in vitro, partial separation of, 206 (Abst.)
density-gradient sedimentation of, and β_{2A}-globulin in serum of allergic individuals, *58* (Abst.)
with 7S γ_2-globulins, association of, 194 (Abst.)
heterologous, properties, subclasses of human IgG molecules differing in, *58* (Abst.)
Sklar, Max A., obituary, 311
Smallpox vaccination studies with serial dilutions of vaccine; comparison of take rates in two age groups of infants (less than 10 weeks and 5 to 12 months old, respectively), *94* (Abst.)
Smoke, tobacco, vesiculobullous dermatitis from, *84* (Abst.)
Smooth muscle relaxation, studies on mechanism, 205 (Abst.)
Solder, flux, hydrazine hydrobromide, dermatitis from, *34* (Abst.)
Soluble antigen-antibody complexes, biologic activities of (Ishizaka and Ishizaka), 70
in tissue culture, cellular damage by, *40* (Abst.)

Sperm and antibody production in rabbits following immunization with sperm and semen, *25* (Abst.)
Spirometric measurements, lung volume and, changes following exposure to hyperbaric pressure levels, *89* (Abst.)
Sputum volume and consistency, effect of saline, Alevaire, and Mucomyst on, *211* (Abst.)
Staining, indirect immunofluorescent, demonstration of skin antibodies in sera of pemphigus vulgaris patients by, *40* (Abst.)
Status asthmaticus, capillary blood pH and pCO_2 in, in children (Tsuchiya and Bukantz), 514
Steroid, alternate-day, therapy, effects in asthmatic children, 209 (Abst.)
dependent chronic bronchial asthmatic patients, dexamethasone aerosol for treatment of (Toogood and Lefcoe), 321
regimens, use of ACTH with every-other-day, 209 (Abst.)
Steroids, aerosolized, and induced Cushing's syndrome, *82* (Abst.)
Stinging insects, allergic response to (Arbesman, Langlois, and Shulman), 147
(Langlois, Shulman, and Arbesman), 12, 109
Studies, tissue culture, of ciliated respiratory epithelium (Kent et al.), 39
Sulfonamides, antibacterial and diuretic drugs, cross-reaction between, *69* (Abst.)
hypersensitivity to, *69* (Abst.)
Surfactant, canine pulmonary, production of antibodies to, 211 (Abst.)
Surgery, aortic-valve, hemolytic anemia complicating, *33* (Abst.)
Sweat gland defect, site of, in fibrocystic disease, *72* (Abst.)
Syndrome, Cushing's, induced, aerosolized steroids and, *82* (Abst.)
nephrotic, as complication of penicillamine therapy for hepatolenticular degeneration (Wilson's disease), *88* (Abst.)
Systemic lupus erythematosus, antinuclear antibodies in families of patients with, *13* (Abst.)
and myasthenia gravis antibodies in, which react with thermally denatured DNA-coated bentonite, *23* (Abst.)
manifestations after skin test with penicilloyl-polylysine, *6* (Abst.)

T

Takayashu's arteritis and rheumatoid arthritis, *23* (Abst.)
Tannic acid or urea, formalinized pollen protein precipitates with, in desensitization treatment (Naterman), 226
Teaching, undergraduate, allergy, report of exploratory conference on (Baldwin and Mathews), 178
Tears, reagin in (Settipane, Connell, and Sherman), 92
Test, agglutination, with ragweed pollen, 206 (Abst.)
basophil cells, role of complement in, *54* (Abst.)
bronchial provocation: clinical evaluation and course of induced asthma (Kim), 353
indirect basophil degranulation, in allergic rhinitis, *49* (Abst.)
skin, with penicilloyl-polylysine, systemic manifestations after, *6* (Abst.)
Tests, basophil degranulation, in atopic allergic states: pilot study of ragweed pollen sensitive patients (Kravis, Lecks, and Whitney), 23
eye, with defatted and undefatted grass pollen, comparative study, *207* (Abst.)
skin, intradermal, in penicillin hypersensitivity, evaluation, *5* (Abst.)
Tetracycline, anaphylactic reaction to, in penicillin-allergic patient, *69* (Abst.)
Tetracyclines, antigenicity of (Queng, Dukes, and McGovern), 505
Textiles, formaldehyde as contact allergen, *34* (Abst.)
Thiol compounds, conditions of reactivation of arthus-type inflammation by, *15* (Abst.)
Thymectomized, rats, in adult life, effect of rabbit anti-rat lymphocyte plasma on immune response of, *91* (Abst.)
Thymoma associated with erythroid aplasia, bullous skin eruption, and lupus erythematosus cell phenomenon, *22* (Abst.)
Thymus, immunological significance of; delayed skin reaction in thymectomized rat, *57* (Abst.)
role in resistance to infection and endotoxin toxicity, *87* (Abst.)
skeletal muscle and, reactivity of myasthenia gravis serum γ-globulin with, demonstrated by immunofluorescence, *74* (Abst.)
Thyroid disease, cytotoxic factor and complement-fixing antibody in, *27* (Abst.)
Thyroiditis, allergic, experimental, in guinea pigs, genetic influence, *42* (Abst.)
Hashimoto's and primary hypothyroidism, 77 (Abst.)
Thyrotropin, bovine, generalized allergic reaction to, *19* (Abst.)
Timothy pollen, isolation and immunochemical properties of haptenic material from, *26* (Abst.)
Tissue, connective, diseases, respiratory function studies in patients with, *90* (Abst.)
culture, cellular damage by soluble antigen-antibody complexes in, *40* (Abst.)

Tissues culture—Cont'd
specific response of human lymphocytes to pollen antigen in, *197* (Abst.)
studies of ciliated respiratory epithelium (Kent et al.), 39
cultures, reactions of serum sickness and infectious mononucleosis sera in, *37* (Abst.)
cutaneous cellular responses to altered globulins within, in experimental eosinophilia (Cohen and Sapp), 415
Titers, complement, and plasma histamine concentrations, studies, initial stage of canine endotoxin shock as expression of anaphylactic shock, *44* (Abst.)
Tobacco smoke, vesiculobullous dermatitis from, *84* (Abst.)
Tokyo-Yokohama area, air pollution and respiratory disease in, *45* (Abst.)
Toxicity, hydralizine, persistence of antinuclear factors in sera of patients with history of, *196* (Abst.)
Tracheobronchial secretions, in vitro reduction in viscosity by acetylcysteine, *9* (Abst.)
Tracheostomy, contact dermatitis complicating, *35* (Abst.)
Tracheotomy, effects in chronic pulmonary disease, *8* (Abst.)
Transfer factor, purification and characterization, 203 (Abst.)
passive, of human allergies to prosimians: skin-reactions in lemuroid, *Nycticebus coucang* (slow loris), *38* (Abst.)
of immediate type hypersensitivity from man to other primates, *93* (Abst.)
Transmucosal absorption of betamethasone, study, 202 (Abst.)
Transplantation tolerance induced in adult mice by protein overloading of donors, *21* (Abst.)
Transplants, renal, connective-tissue disease and rheumatoid factors in, patients with, *89* (Abst.)
Tuberculin hypersensitivity, established, inhibition by methotrexate, *10* (Abst.)
as mediator for accelerated pulmonary granulomatous response in rabbits, dissociation, *42* (Abst.)
reaction, depression, by viral vaccines, *27* (Abst.)
electron microscopic observations on localization of antigen in, *92* (Abst.)
Tumor, human, and "normal" tissue, distribution of antihistamine substance (5) in extracts of, *7* (Abst.)
Tyson, William G., obituary, 501

U

Ultrastructural changes, glomerular, induced by nephrotoxic serum, pathogenesis of, *55* (Abst.)
Undergraduate teaching of allergy, report of exploratory conference on (Baldwin and Mathews), 178
Unresponsiveness, immunologic, studies in, *61* (Abst.)
Urea, tannic acid or, in desensitization treatment, formalinized pollen protein precipitates with (Naterman), 226
Uremia, suppression of immunologic responsiveness in, *77* (Abst.)
Urticaria, aquagenic, contact sensitivity reaction to water, *18* (Abst.)
cold, *52* (Abst.)
Usnic acid produced by lichenized fungi, allergic contact dermatitis from, *83* (Abst.)
Uvea, homologous, antibody production in guinea pig to, *25* (Abst.)
Uveitis, chronic, due to sensitivity to common foods with report of two cases, *62* (Abst.)
human, occurrence of autoantiviral antibody in, *44* (Abst.)
nongranulomatous, and arthritis, relation between (Van Metre et al.), 158

V

Vaccination, smallpox, studies with serial dilutions of vaccine, *94* (Abst.)
Vaccinatum, eczema, *3* (Abst.)
Vaccine, bacterial, effects on infective asthma (Barr et al.), 47
influenza, increased response of asthmatic subjects to methacholine after (Ouellette and Reed), 558
killed virus, effect on response of normal and asthmatic subjects to methacholine aerosol, *212* (Abst.)
Vaccines, viral, depression of tuberculin reaction by, *27* (Abst.)
with special reference to new immunologic adjuvant, *29* (Abst.)
Vagus nerve, electrical activity in anaphylactic shock induced after electrical stimulation of brain, *61* (Abst.)
Vapor, coal tar, inhalation, basophil degranulation following, *84* (Abst.)
Vasculitis, allergic, some clinical manifestations and associations of, *89* (Abst.)
$V_E$btps, V_{O_2}, changes in, and external work, *66* (Abst.)
Venom, bee, immunologic properties, *217* (Abst.)
tolerance in white mice in relation to diet, *30* (Abst.)
rattlesnake (crotalid), association of skin-sensitizing antibody with gamma-A globulins in individual sensitized to, *193* (Abst.)
sac antigens, specificity of (Langlois, Shulman, and Arbesman), 109
Venom-induced, anaphylactic and, distribution and properties of slow-reacting substance and histamine in guinea pigs, *28* (Abst.)
Ventilation, mechanical, in chronic pulmonary disease, CNS disorder during, *9* (Abst.)

Ventilatory capacities in patients with generalized airway obstruction, effect of Multergan on, *66* (Abst.)
studies, pulmonary, treatment of acute asthma by aerosolized metaproterenol measured by, *82* (Abst.)
Vesiculobullous dermatitis from tobacco smoke, *84* (Abst.)
Viral vaccines, depression of tuberculin reaction by, *27* (Abst.)
with special reference to new immunologic adjuvant, *29* (Abst.)
Virus, influenza, killed, vaccine, effect on response of normal and asthmatic subjects to methacholine aerosol, *212* (Abst.)
measles, alterations in delayed hypersensitivity by, *217* (Abst.)
V_{O_2}, $V_E$btps, changes in, and external work, *66* (Abst.)

W

Wasp, yellow jacket, and bee, cross-reactions between (Arbesman, Langlois, and Shulman), 147
Water, aquagenic urticaria contact sensitivity reaction to, *18* (Abst.)
Wegener's granulomatosis, case report and evaluation of diagnostic techniques used in disease of chest, *54* (Abst.)
Welding fumes, chromium in, as cause of eczematous hand eruption, *34* (Abst.)
Wheal reactions, immediate, caused by antigenic stimuli, familial occurrence, *42* (Abst.)
Wheal-and-flare, allergic, reactions, nature of immune complexes initiating (Levine and Fellner), 342
skin reactions in man, nature of antigen-antibody complexes initiating, *199* (Abst.)
Wilson's disease, hepatolenticular degeneration, nephrotic syndrome as complication of penicillamine therapy for, *88* (Abst.)
Wittich, Frederick William, obituary, 497
Woern, William H., obituary, 406

Y

Yanoff, Jacob, obituary, 312
Yellow jacket, wasp, and bee, cross-reactions between (Arbesman, Langlois, and Shulman), 147
Youman, Joseph Dudley, Jr., obituary, 567

Z

Zirconium-containing poison oak lotions, granulomatous hypersensitivity after use, *35* (Abst.)
Zoster in patient with atopic dermatitis, *4* (Abst.)

Allergy Abstracts

Editor
MURRAY M. ALBERT
Brooklyn, N. Y.

Associate Editor
EUGENE H. WALZER
Bridgeport, Conn.

Editorial Board

RICHARD D. WISEMAN
Syracuse, N. Y.
BERNARD B. SIEGEL
Brooklyn, N. Y.
HAROLD J. FRIEDMAN
Cleveland, Ohio
KATHERINE L. BOWMAN
Brooklyn, N. Y.
I TSU CHAO
Formosa, Republic of China
MONROE COLEMAN
Stamford, Conn.
ELOISE KAILIN
Washington, D. C.
DAVID STEIN
Spring Valley, N. Y.
HERMAN PELZ
Forest Hills, N. Y.

Consultant Editor
MATTHEW WALZER
Brooklyn, N. Y.

Advisory Editor
MAX GROLNICK
Brooklyn, N. Y.

From the Allergy Division of
The Jewish Hospital of Brooklyn

Volume 30 January—February, March—April, May—June, July—August, September—October, November—December, 1965

VOLUME 30
COPYRIGHT © 1965 by
THE C. V. MOSBY COMPANY
(ALL RIGHTS RESERVED)

Printed in the United States of America

Index to Allergy Abstracts

Author Index*

A

Abrahams, I., McCarthy, J. T., and Sanders, S. L., *19*
Adamkiewicz, V. W., Sacra, P. J., and Ventura, J., *79*
Adner, M. M., Sherman, J. D., Caroline, I., Schwab, R. S., and Dameshek, W., *39*
Agarwal, K. N., and Bratteby, L. E., *32, 33*
Ainger, L. E. (*See* Hughes, E. R., et al.), *29*
Al-Askari, S. (*See* David, J. R., et al.), *11*
Allen, A. R., and Moen, C. W., *54*
Allen, I. V., *79*
Allen, J. R. (*See* Epstein, W. L.), *35*
Altman, K. (*See* Tobin, M. A.), *10*
Andersen, H. J. (*See* Fallstrom, S. P., et al.), *86*
Andersson, E., *48*
Appel, S. J., and Rapaport, H. G., *61*
Appleton, P. (*See* Ashby, B., et al.), *29*
Archer, O. K. (*See* Sutherland, D. E. R., et al.), *39, 59*
Ashby, B., Appleton, P., and Dawson, I., *29*
Auerbach, R., *85*
Ausdenmoore, R. (*See* Bernstein, I.), *18*

B

Baer, H. (*See* Bowser, R. T., et al.), *41*
Baer, R. L., and Harber, L. C., *67*
—. (*See* Fellner, M. J.), *69, 87*
—. (*See* Harber, L. C., et al.), *50*
Barbee, R. A. (*See* Reed, C. E., et al.), *86*
Barnes, W. (*See* Kough, R.), *22*
Battisto, J. R., and Chase, M. W., *73*
Baughman, R. D., *20*
Baur, S., Roitt, I. M., and Doniach, D., *91*
Beall, G. (*See* Marschke, G., et al.), *32*
—. (*See* Novey, H.), *82*
Belaval, G. S. (*See* Karliner, J. S.), *87*
Benaceraff, B. (*See* Levine, B. B.), *43*
Ben-Ishay, D., Freund, M., and Groen, J. J., *43*
Benjamini, E. (*See* Feingold, B. F., et al.), *62*
Benton, A. W., Morse, R. A., and Gunnison, A. F., *30*
Bentz, J. D. (*See* Terr, A. I.), *58*
Bernstein, I., and Ausdenmoore, R., *18*
Beutner, E. H., and Jordon, R. E., *40*
Bobitt, J. R., Schechter, H., and Pollak, V. E., *36*
Borek, F., and Silverstein, A. M., *56*
Bowser, R. T., Kirschstein, R. L., and Baer, H., *41*
Brandriss, M. W. (*See* Carpenter, R. R.), *72*
Bratteby, L. E. (*See* Agarwal, K. N.), *32*
Brody, J. A., Overfield, T., and Hammes, L. M., *27*
Brown, E. G., Ipsen, J., and Popovits, C., *2*
Bucharan, W., and Harden, R., *77*
Budd, M. A., Parker, C. W., and Norden, C., *5*
Buehler, E. V., *84*

C

Cain, J. (*See* Tumen, H., et al.), *36*
Campbell, D. H. (*See* Malley, A., et al.), *26*
Campbell, W. A. (*See* Milgram, F., et al.), *9*
Candau, J. W., Gross, B. G., Newcomer, V. D., and Wright, E. T., *68*
Caroline, I. (*See* Adner, M. M., et al.), *39*
Carpenter, R. R., and Brandriss, M. W., *72*
—. (*See* Sturgill, B. C., et al.), *23*
Caspary, E. Q., Gubbay, S. S., and Stern, G. M., *76*
Catterall, M., and Rowell, N. R., *90*
Cawley, E. P. (*See* Wheeler, C. E., Jr., et al.), *34*
Cenci, G. P. (*See* Messini, M., et al.), *57*
Centeno, E., Shulman, S., Gonder, M. J., and Soanes, W. A., *94*
Chao, I. T., Wang, W. Y., and Hsu, C. H., *53, 62*
Charache, P. S. (*See* Rosen, F. S., et al.), *78*
Chartrand, S. (*See* Spink, W. W., et al.), *44*
Chase, M. W. (*See* Battisto, J. R.), *73*
Chetty, M. P., and Watson, K. C., *75*
Chodos, D. J. (*See* Hughes, E. R., et al.), *29*
Code, C. F., Hurn, M. M., and Mitchell, R. G., *6*

*January—February, pp. *1-16*; March—April, pp. *17-30*; May—June, pp. *31-46*; July—August, pp. *47-64*; September—October, pp. *65-80*; November—December, pp. *81-110*.

Cohen, E. P., Pelley, T. L., Szentivanyi, A., and Priest, R. E., *32*
Comaish, J. S., *72*
Comings, D., *60*
Connell, J. T. (*See* Finke, S. R., et al.), *49*
Cook, C. D. (*See* Orzalesi, M. M., et al.), *33*
Cook, J. (*See* Grant, J. L., et al.), *8*
Cooney, D. (*See* Falicov, R.), *23*
Copeman, P., and Wallace, H., *3*
Cormia, F. E., and DeGara, P. F., *84*
Corse, J. W. (*See* Layton, L. L., et al.), *45*
Czarnecki, S. W. (*See* Kaplan, J. M., et al.), *52*

D

Dameshek, W. (*See* Adner, M. M., et al.), *39*
David, J. R., Al-Askari, S., Lawrence, H. S., and Thomas, L., *11*
—. Lawrence, H. S., and Thomas, L., *12*
Davis, R. B. (*See* Spink, W. W., et al.), *44*
Dawson, I. (*See* Ashby, B., et al.), *29*
Degara, P. F. (*See* Cormia, F. E.), *84*
Dineen, J. K., *78*
Donaldson, V. H., and Rosen, F. S., *76, 78*
Done, A. K. (*See* Hughes, E. R., et al.), *29*
Doniach, D. (*See* Baur, S., et al.), *91*
Dubois, E. L. (*See* Epstein, J. H., et al.), *67*

E

Eckert, E. (*See* Sutherland, D. E. R., et al.), *59*
Edmonds, P. (*See* Long, P. I.), *51*
Edwards, C. L., and Gengozian, N., *88*
Einbinder, J. M., Walzer, R. A., and Nelson, C. T., *15, 41*
Elias, R. W., Voorhorst, R., and VanKrieken, H., *46*
Ely, R. S. (*See* Hughes, E. R., et al.), *29*
Epstein, E., *84*
Epstein, J. H., Tuffanelli, D. L., and Dubois, E. L., *67*
Epstein, S., and Mohajerin, A. H., *4*
Epstein, W. L., and Allen, J. R., *35*
Espmark, J. A., and Rabo, E., *94*
Ettinger, E., and Kaye, D., *6*

F

Falicov, R., and Cooney, D., *23*
Fallstrom, S. P., Winberg, J., and Andersen, H. J., *86*
Fardal, R. W., and Winkleman, R. K., *68*
Fauci, A. S. (*See* Rubin, W., et al.), *92*
Feigin, R. D., and Fiascone, A., *53*
Feingold, B. F., Benjamini, E., and Shimizu, M., *62*
Feldman, J. D., and Hammer, D., *55*
Feldman, R. J., and Maibach, H. I., *71*
Fellner, M. J., and Baer, R. L., *69, 87*
Feltkamp, T. E. W. (*See* Van der Geld, H., et al.), *74*
Fernando, N. V. P. (*See* Movat, H. Z.), *70*
Fiascone, A. (*See* Feigin, R. D.), *53*
Finchum, R. N. (*See* Luton, E. F.), *51*
Fink, C. W. (*See* Hess, E. V., et al.), *58*
Fink, J. N. (*See* Patterson, R., et al.), *93*
Finke, S. R., Grieco, M. H., Connell, J. T., Smith, E. C., and Sherman, W. B., *49*
Finkelstein, M. S., and Uhr, J. W., *13*
Fischer, R. W. (*See* Rosenberg, E. W.), *20*
Ford, H., and Kirsner, J. B., *11*
Fost, C. A. (*See* Stevens, K. M.), *25*
Fred, H. L. (*See* Lauderdale, W. H., et al.), *21*
Frederick, R. (*See* Gordon, S., et al.), *59*
Freeman, G. L., and Johnson, S., *15, 16*
Fregert, S., and Rorsman, H., *3, 34, 35*
Frei, E. (*See* Levin, R. H., et al.), *24*
Freund, M. (*See* Ben-Ishay, D., et al.), *43*
Friedman, R. M., *10*

G

Gaul, L. E., *20*
Gengozian, N. (*See* Edwards, C. L.), *88*
Gilliland, B. C. (*See* VanArsdel, P. P., Jr.), *94*
Goerz, E., Ippen, H., and Meiers, H. G., *69*
Gokhale, S. D. (*See* Verma, B. S., et al.), *50*
Goldfarb, A. R., *48*
Gonder, M. J. (*See* Centeno, E., et al.), *94*
Good, R. A. (*See* Salvin, S. B., et al.), *87*
—. (*See* Sutherland, D. E. R., et al.), *39, 59*
Goode, J. M. (*See* Liacopoulos, P.), *21*
Goodman, H. C. (*See* Sturgill, B. C., et al.), *23*
Goodner, E. K. (*See* Yawamoto, E., et al.), *44*
Gordon, J., *82*
Gordon, S., Hess, J., and Frederick, R., *59*
Graber, C. D. (*See* Lauderdale, W. H., et al.), *21*
Grater, W. C., *82*
Grant, J. L., Cook, J., and Moulton, D. P., *8*
Green, M. A., *64*
Greene, F. C. (*See* Layton, L. L.), *38, 45*
Greenspan, E. M., *71*
Grieco, M. H. (*See* Finke, S. R., et al.), *49*
Griswold, H. E. (*See* Pirofsky, B., et al.), *38*
Groen, J. J. (*See* Ben-Ishay, D., et al.), *43*
Grolnick, M. (*See* Rubin, J. M., et al.), *86*
Gross, B. G. (*See* Candau, J. W., et al.), *68*

Gubbay, S. S. (*See* Caspary, E. A., et al.), *76*
Gucchi, G. (*See* Messini, M., et al.), *57*
Gulati, O. D. (*See* Verma, B. S., et al.), *50*
Gunnison, A. F. (*See* Benton, A. W., et al.), *30*
Guze, L. B. (*See* Kalmanson, G. M.), *94*

H

Hackett, E., and Thompson, A., *76*
Halberg, P., *27*
Halpern, B. N., *25*
—. (*See* Stone, S. H., et al.), *28*
Halstead, S. B., and Sadun, E. H., *30*
Hammer, D. (*See* Feldman, J. D.), *55*
Hammes, L. M. (*See* Brody, J. A., et al.), *27*
Harber, L. C., Harris, H., Leider, M., and Baer, R. L., *50*
—. (*See* Baer, R. L.), *67*
Harden, R. (*See* Bucharan, W.), *77*
Harner, R. H., and Knerr, R. J., *2*
Harris, H. (*See* Harber, L. C., et al.), *50*
Hart, M. D. (*See* Orzalesi, M. M., et al.), *33*
Haubrich, W. (*See* Tumen, H., et al.), *36*
Hayashi, H., Nitta, R., and Miyoshi, H., *15*
—. (*See* Takaba, Y., et al.), *40*
Heard, B. E. (*See* Restrepo, G. L.), *16*
Heimlich, E. M. (*See* Malley, A., et al.), *26*
Helm, F., and Klein, E., *68*
Hennigar, G. (*See* Huang, C. T., et al.), *37*
Herschensohn, H. (*See* Yanda, R.), *55*
Herxheimer, H., and Stresemann, E., *48*
Hess, E. V., Fink, C. W., Taranta, A., and Ziff, M., *58*
Hess, J. (*See* Gordon, S., et al.), *59*
Hilleman, M. R., *29*
Hirschman, S. Z., and Isselbacher, K. J., *88*
Hirt, M., *66*
Honig, S. (*See* Schwartz, J., et al.), *89*
Horwitz, I. D. (*See* Padnos, E., et al.), *35*
Hsu, C. H. (*See* Chao, I. T., et al.), *53*
Huang, C. T., Hennigar, G., and Lyons, H., *37*
Hughes, E. R., Ely, R. S., Chodos, D. J., Done, A. K., Kirschvink, J. F., Ainger, L. E., and Kelley, V. C., *29*
Hurn, M. M. (*See* Code, C. F., et al.), *6*

I

Ippen, H. (*See* Goerz, E., et al.), *69*
Ipsen, J. (*See* Brown, E. G., et al.), *2*
Irby, R. (*See* Waller, M., et al.), *89*
Ishizaki, T. (*See* Oshima, Y., et al.), *45*
Isselbacher, K. J. (*See* Hirschman, S. Z.), *88*

J

Jacobs, L. W. (*See* Sheffner, A. L., et al.), *9*
Jeejeebhey, H. F., *91*
Jeffries, G. H. (*See* Rubin, W., et al.), *92*
Johnson, S. (*See* Freeman, G. L.), *15, 16*
Johnstone, D. E., *2*
Jones, K. M., Pringle, E. M., Taylor, K. B., and Young, W. F., *46*
Jordon, R. E. (*See* Beutner, E. H.), *40*
Juhlin, L., and Wibell, L., *49*

K

Kabe, J. (*See* Oshima, Y., et al.), *45*
Kalmanson, G. M., and Guze, L. B., *94*
Kano, K., and Milgrom, F., *37*
Kaplan, J. M., Wachtel, H. L., Czarnecki, S. W., and Sampson, J. L., *52*
Karczewski, W., *45, 61*
Karliner, J. S., and Belaval, G. S., *87*
Kawata, H., Myrvik, Q. N., and Leake, E. S., *42*
Kaye, D. (*See* Ettinger, E.), *6*
Kelley, V. C. (*See* Hughes, E. R., et al.), *29*
Kingery, F. A., *52*
Kinuwaki, Y. (*See* Takaba, Y., et al.), *40*
Kirkpatrick, C. H. (*See* Wilson, W. E. C., et al.), *77*
Kirschstein, R. L. (*See* Bowser, R. T., et al.), *41*
Kirschvink, J. F. (*See* Hughes, E. R., et al.), *29*
Kirsner, J. B. (*See* Ford, H.), *11*
Klein, E. (*See* Helm, F.), *68*
Klopstock, A. (*See* Schwartz, J., et al.), *54, 89*
Knerr, R. J. (*See* Harner, R. H.), *2*
Kough, R., and Barnes, W., *22*
Kovacs, B. A. (*See* Pelletier, G., et al.), *7*
Kretschmer, R. R., and Perez-Tamayo, R., *14*
Kuhns, W. J., *42*

L

Landy, M. (*See* Levin, R. H., et al.), *24*
Larson, D. A., *66*
Lauderdale, W. H., Fred, H. L., and Graber, C. D., *21*
Lawrence, H. S. (*See* David, J. R., et al.), *11, 12*
Layton, L. L., and Greene, F. C., *38*
—, —, Corse, J. W., and Panzani, R., *45*
Leake, E. S. (*See* Kawata, H., et al.), *42*
Leider, M. (*See* Harber, L. C., et al.), *50*
Lerner, E. M. (*See* McMaster, P. R. B.), *42*

Leskowitz, S. (*See* Salvaggio, J. E.), *90*
Levin, R. H., Landy, M., and Frei, E., *24*
Levine, B. B., and Benacerraff, B., *43*
Liacopoulos, P., and Goode, J. M., *21*
—. (*See* Stone, S. H., et al.), *28*
Liacopoulos-Briot, M. (*See* Stone, S. H., et al.), *28*
Lillington, G. A. (*See* Schmidt, R. S., et al.), *18*
Lipton, M. M. (*See* Wacker, W. B., et al.), *25*
Lish, P. M. (*See* McKinney, G. R.), *8*
Long, P. I., and Edmonds, P., *51*
Lubaroff, D. M., and Ritts, R. E., *11*
Luton, E. F., *21*
—, and Finchum, R. N., *51*
Luz, A. Q., and Todd, R. H., *26*
Lyons, H. (*See* Huang, C. T., et al.), *37*

M

McCarthy, J. T. (*See* Abrahams, I., et al.), *19*
McKay, D., *88*
McKendrick, T. (*See* Shuster, S., et al.), *72*
McKinney, G. R., and Lish, P. M., *8*
McMaster, P. R. B., and Lerner, E. M., *42*
Maibach, H. I. (*See* Feldman, R. J.), *71*
Malley, A., Campbell, D. H., and Heimlich, E. M., *26*
Marschke, G., Beall, G., Stern, W. E., and Murray, J., *32*
Massoud, A., and Taylor, G., *75*
Medler, E. M. (*See* Sheffner, A. L., et al.), *9*
Meiers, H. G. (*See* Goerz, E., et al.), *69*
Mellinkoff, A. (*See* Tumen, H., et al.), *36*
Merksamer, D. (*See* Sherman, H.), *30*
Messini, M., Cenci, G. P., and Gucchi, G., *57*
Middleton, E., Jr., and Phillips, G. B., *28*
Milgram, F., Campbell, W. A., and Witebsky, E., *9*
Milgrom, F. (*See* Kano, K.), *37*
Mitchell, J. C., *83*
Mitchell, R. G. (*See* Code, C. F., et al.), *6*
Miyamoto, T. (*See* Oshima, Y., et al.), *45*
Miyoshi, H. (*See* Hayashi, H., et al.), *15*
Moen, C. W. (*See* Allen, A. R.), *54*
Mohajerin, A. H. (*See* Epstein, S.), *4*
Morse, R. A. (*See* Benton, A. W., et al.), *30*
Morton, J. (*See* Wright, R., et al.), *78*
Moschos, T. D., Rosenthal, S. A., and Schroeder, H., *60*
Motley, H. (*See* Yanda, R.), *89*
Moulton, D. P. (*See* Grant, J. L., et al.), *8*
Movat, H. Z., and Fernando, N. V., *70*
Muehlbauer, P. (*See* Rubin, J. M., et al.), *86*
Mullinox, F. (*See* Waller, M., et al.), *89*
Murray, J. (*See* Marschke, G., et al.), *32*
Myrvik, Q. N. (*See* Kawata, H., et al.), *42*

N

Nabrady, J. (*See* Steiner, B.), *63*
Nelson, C. T., Stroup, G., and Weddell, R., *91*
—. (*See* Einbinder, J. M., et al.), *15*
—. (*See* Walzer, R. A., et al.), *41*
Nelson, T. J., *6*
Neveu, T. (*See* Stone, S. H., et al.), *28*
Newcomer, V. D. (*See* Candau, J. W., et al.), *68*
Nishimura, E. T. (*See* Patterson, R., et al.), *93*
Nitta, R. (*See* Hayashi, H., et al.), *15*
Norden, C. (*See* Budd, M. A., et al.), *5*
Norton, W., and Ziff, M., *92*
Novey, H., and Beall, G., *82*
Nursall, J. F., *64*

O

O'Connor, R. G. (*See* Yawamoto, E., et al.), *44*
Odeberg, B., *70*
Ongchura, F. E. (*See* Wacker, W. B., et al.), *25*
Oosterhuis, H. J. (*See* Van der Geld, H., et al.), *74*
Orzalesi, M. M., Cook, C. D., and Hart, M. D., *33*
Oshima, Y., Ishizaki, T., Miyamoto, T., Schimizu, T., Shida, T., and Kabe, J., *45*
Overfield, T. (*See* Brody, J. A., et al.), *27*

P

Padnos, E., Horwitz, I. D., and Wunder, G., *35*
Panzani, R. (*See* Layton, L. L., et al.), *45*
Parker, C. W. (*See* Budd, M. A., et al.), *5*
Parnes, H. M. (*See* Shelley, W. B.), *55, 84*
Pas, A. O., and Quinn, E. L., *53*
Patrick, J. (*See* Richards, W.), *82*
Patterson, R., Fink, J. N., Nishimura, E. T., and Pruzansky, J. J., *93*
Pelletier, G., Kovacs, B. A., and Rose, B., *7*
Pelley, T. L. (*See* Cohen, E. P., et al.), *32*
Penn, S. R. (*See* Wheeler, C. E., Jr., et al.), *34*

Pensky, J. (*See* Rosen, F. S., et al.), *78*
Perez-Tamayo, R. (*See* Kretschmer, R. R.), *14*
Peterson, R. D. A. (*See* Salvin, S. B., et al.), *87*
—. (*See* Sutherland, D. E. R., et al.), *59*
Phillips, G. B. (*See* Middleton, E., Jr.), *28*
Pirofsky, B., Sutherland, D. W., Starr, A., and Griswold, H. E., *38*
Pollak, V. E. (*See* Bobitt, J. R., et al.), *13, 36*
Pollen, R. H., *6*
Popovits, C. (*See* Brown, E. G., et al.), *2*
Potter, R. (*See* Spink, W. W., et al.), *44*
Presler, O., and Schneider, J., *79*
Preucel, R. W. (*See* Shelley, W. B., et al.), *22*
Priest, R. E. (*See* Cohen, E. P., et al.), *32*
Pringle, E. M. (*See* Jones, K. M., et al.), *46*
Pruzansky, J. J. (*See* Patterson, R., et al.), *93*

Q

Quinn, E. L. (*See* Pas, A. O.), *53*

R

Rabo, E. (*See* Espmark, J. A.), *94*
Rapaport, H. G. (*See* Appel, S. J.), *61*
Rawnsley, H. M. (*See* Shelley, W. B.), *18*
Reed, C. E., Sosman, A., and Barbee, R. A., *86*
Resnik, S. S. (*See* Shelley, W. B.), *85*
Restrepo, G. L., and Heard, B. E., *16*
Richards, W., and Patrick, J., *82*
Ritts, R. E. (*See* Lubaroff, D. M.), *11*
Robin, E. D. (*See* Rotheram, E. G., Jr., et al.), *9*
Roitt, I. M. (*See* Baur, S., et al.), *91*
Rorsman, H. (*See* Fregert, S.), *3, 34, 35*
Rose, B. (*See* Pelletier, G., et al.), *7*
Rosen, F. S., Charache, P. S., Pensky, J., and Donaldson, V., *78*
—. (*See* Donaldson, V. H.), *76*
Rosenberg, E. W., and Fischer, R. W., *20*
Rosenthal, S. A. (*See* Moschos, T. D., et al.), *60*
Rotheram, E. G., Jr., Safar, P., and Robin, E. D., *9*
Rowell, N. R. (*See* Catterall, M.), *90*
Rubenstein, M., and Wolff, S., *23*
Rubin, J. M., Shapiro, J., Muehlbauer, P., and Grolnick, M., *86*
Rubin, W., Fauci, A. S., Sleisenger, M. H., and Jeffries, G. H., *92*

S

Sacra, P. J. (*See* Adamkiewicz, V. W., et al.), *79*
Sadun, E. H. (*See* Halstead, S. B.), *80*
Safar, P. (*See* Rotheram, E. G., Jr., et al.), *9*
Salvaggio, J. E., and Leskowitz, S., *90*
Salvin, S. B., Peterson, R. D. A., and Good, R. A., *87*
Sampson, J. L. (*See* Kaplan, J. M., et al.), *52*
Sanders, S. L. (*See* Abrahams, I., et al.), *19*
Sarrett, H. P. (*See* Sheffner, A. L., et al.), *9*
Schechter, H. (*See* Bobitt, J. R., et al.), *36*
Schimizu, T. (*See* Oshima, Y., et al.), *45*
Schmidt, R. W., Wasserman, K., and Lillington, G. A., *18*
Schneider, J. (*See* Presler, O.), *79*
Schoenwetter, A. H., and Silber, E. N., *52*
Schroeder, H. (*See* Moschos, T. D., et al.), *60*
Schwab, R. S. (*See* Adner, M. M., et al.), *39*
Schwartz, J., Klopstock, A., and Vardinon, N., *54*
—, —, Zikert-Duvedevani, P., and Honig, S., *89*
Selye, H., *85*
Shah, K. C. (*See* Verma, B. S., et al.), *50*
Shapiro, J. (*See* Rubin, J. M., et al.), *86*
Sheffner, A. L., Medler, E. M., Jacobs, L. W., and Sarrett, H. P.), *9*
Shelley, W. B., *5, 34*
—, and Parnes, H. M., *55, 84*
—, Preucel, R. W., and Spoont, S. S., *22*
—, and Rawnsley, H. M., *18*
—, and Resnik, S. S., *85*
Sherman, H., and Merksamer, D., *30*
Sherman, J. E. (*See* Adner, M. M., et al.), *39*
Sherman, W. B., and Werner, S. C., *19*
—, (*See* Finke, S. R., et al.), *49*
Shida, T. (See Oshima, Y., et al.), *45*
Shimizu, M. (*See* Feingold, B. F., et al.), *62*
Shulman, S. (*See* Centeno, E., et al.), *94*
Shuster, S., McKendrick, T., and Stammers, M., *72*
Silber, E. N. (*See* Schoenwetter, A. H.), *52*
Silverstein, A. M. (*See* Borek, F.), *56*
Simonsson, B. G., *66*
Sleisenger, M. H. (*See* Rubin, W., et al.), *92*
Smith, E. C. (*See* Finke, S. R., et al.), *49*
Soanes, W. A. (*See* Centeno, E., et al.), *94*
Sosman, A. (*See* Reed, C. E., et al.), *86*
Spink, W. W., Davis, R. B., Potter, R., and Chartrand, S., *44*

Spoont, S. S. (*See* Shelley, W. B., et al.), *22*
Stammers, M. (*See* Shuster, S., et al.), *72*
Starr, A. (*See* Pirofsky, B., et al.), *38*
Steiner, B., and Nabrady, J., *63*
Stern, G. M. (*See* Caspary, E. A., et al.), *76*
Stern, W. E. (See Marschke, G., et al.), *32*
Stevens, A., *71*
Strauss, A. J. L. (*See* Sturgill, B. C., et al.), *23*
Stresemann, E. (*See* Herxheimer, H.), *48*
Stevens, K. M., and Fost, C. A., *25*
Stone, S. H., Liacopoulos, P., Liacopulos-Briot, M., Neveu, T., and Halpern, B. N., *28*
Stroup, G. (*See* Nelson, T. C., et al.), *91*
Sturgill, B. C., Carpenter, R. R., Strauss, A. J. L., and Goodman, H. C., *23*
Sutherland, D.E.R., Archer, O. K., and Good, R. A., *39*
—, —, Peterson, R. D. A., Eckert, E., and Good, R. A., *59*
Sutherland, D. W. (*See* Pirofsky, B., et al.), *38*
Swineford, O., Jr., and Wang, L., *14*

T

Takaba, Y., Kinuwaki, Y., and Hayashi, H., *40*
Talmage, D. W. (*See* Wilson, W. E. C., et al.), *77*
Taranta, A. (*See* Hess, E. V., et al.), *58*
Taylor, G. (*See* Massoud, A.), *75*
Taylor, K. (*See* Jones, K. M., et al.), *46*
—. (*See* Wright, R., et al.), *78*
Terr, A. I., and Bentz, J. D., *58*
Terry, W. D., *58*
Thomas, L. (*See* David, J. R., et al.), *11, 12*
Thompson, A. (*See* Hackett, E.), *76*
Tobin, M. A., and Altman, K., *10*
Todd, R. H. (*See* Luz, A. Q.), *26*
Toone, E. C., Jr. (*See* Waller, M., et al.), *89*
Tuffanelli, D. L. (*See* Epstein, J. H., et al.), *67*
Tumen, H., Cain, J., Haubrich, W., Mellinkoff, S., and Mendeloff, A., *36*
Uhr, J. W. (*See* Finkelstein, M. S.), *13*

V

VanArsdel, P. P., Jr., and Gilliland, B. C., *94*
Van der Geld, H., *56*
—. Feltkamp, T. E. W., and Oosterhuis, H. J., *74*
Van Krieken, H. (*See* Elias, R. W., et al.), *46*
Vardinon, N. (See Schwartz, J., et al.), *54*
Ventura, J. (*See* Adamkiewicz, V. W., et al.), *79*
Verma, B. S., Gulati, O. D., Gokhale, S. D., and Shah, K. E., *50*
Von Gemmingen, G. R., and Winkelmann, R. K., *4*
Voorhorst, R. (*See* Elias, R. W., et al.), *46*

W

Wachtel, H. L. (*See* Kaplan, J. M., et al.), *52*
Wacker, W. B., Lipton, M. M., and Ongchua, F. E., *25*
Waldbott, G., *69*
Wallace, H. (*See* Copeman, P.), *3*
Waller, M., Irby, R., Mullinox, F., and Toone, E. C., Jr., *89*
Walzer, R. A., Einbinder, J. M., and Nelson, C. T., *41*
—. (*See* Einbinder, J. M., et al.), *15*
Wang, L. (*See* Swineford, O., Jr.), *14*
Wang, W. Y. (*See* Chao, I. T., et al.), *53*
Wasserman, K. (*See* Schmidt, R. W., et al.), *18*
Watson, K. C. (*See* Chetty, M. P.), *75*
Watson, R. G., *93*
Weddell, R. (*See* Nelson, T. C., et al.), *91*
Wereide, K., *34*
Werner, S. C. (*See* Sherman, W. B.), *19*
Wheeler, C. E., Jr., Penn, S. F., and Cawley, E. P., *34*
Wibell, L. (*See* Juhlin, L.), *49*
Wilkinson, D. S., *89*
Wilson, W. E. C., Kirkpatrick, C. H., and Talmage, D. W., *77*
Winberg, J. (*See* Fallstrom, S. P., et al.), *86*
Winklemann, R. K. (*See* Fardal, R. W.), *68*
—. (*See* von Gemmingen, G. R.), *4*
Wiseman, J. R. (*See* Wiseman, R. D.), *36*
Wiseman, R. D., and Wiseman, J. R., *36*
Witebsky, E. (*See* Milgram, F., et al.), *9*
Wolff, S. (*See* Rubenstein, M.), *23*
Wright, E. T. (*See* Candau, J. W., et al.), *68*
Wright, R., Morton, J., and Taylor, K., *78*
Wunder, G. (*See* Padnos, E., et al.), *35*

Y

Yanda, R., and Herschensohn, H., *55*
—., and Motley, H., *89*
Yawamoto, E., Goodner, E. K., and O'Connor, R. G., *44*
Young, W. F. (*See* Jones, K. M., et al.), *46*

Z

Zacharieae, H., *8, 33*
Ziff, M., (*See* Hess, E. V., et al.), *58*
—. (*See* Norton, W.), *92*
Zikert-Duvedevani, P. (*See* Schwartz, J., et al.), *89*

Subject Index*

A

Acetylcysteine, bronchospasm caused by, *18*
reduction in viscosity of tracheobronchial secretions by, *9*
Adolescence, changes in allergic manifestations during, *16*
prevalence of allergic disease in, *15*
Aerosolized steroids, Cushing's syndrome caused by, *82*
Air flow and oral pressure, effect on breathing in asthma and emphysema, *18*
pollution and respiratory disease in Tokyo-Yokohama area, *45*
trapping in chronic bronchitis and emphysema, *16*
Alimentary hypersensitivity, induction by *Giardia lamblia*, *80*
Allergic management, home visits as aid in, *36*
reactions, fluoride as cause of, *69*
Aminophylline, anti-inflammatory activity, *8*
Anaphylactic reaction, mango as cause, *86*
tetracycline as cause of, *69, 87*
shock in rats, effect of glycemic states on, *79*
Anaphylactoid reaction, diphenhydramine hydrochloride (Benadryl), as cause of, *21*
orally administered demethylchlortetracycline (Declomycin), as a cause of, *6*
Anaphylaxis, effect of electrical activity of vagus nerve on, *45*
induction in monkey by passive transfer of human serum, *93*
in mouse, role of mast cell in, *15*
passive and active desensitization in protection against, *14*
prevention by electrical stimulation of brain, *61*
relationships between endotoxin shock and, *44*
Anergex, nonspecific treatment of ragweed hay fever with, *2*
Angiitis, subacute, penile lesions as manifestation, *23*
Angioneurotic edema, hereditary, action of complement in, *76*
two genetic variants of, *78*
Antibodies, circulating, in polymyositis of, *76*
production by cells originating from splenic reticular cells, *70*
varieties and sites of attachment in human intestinal epithelium, *92*
Antibody formation, specific inhibition by passively administered 19S and 7S antibody, *13*
production, in rabbits following immunization with sperm and semen, *25*
response, effect of hydroxychloroquine on, *94*
Anti-D serum, to prevent sensitization of Rhesus-negative mothers, *79*
Antigen, localization in microsomal portion of cell in thyroid, *27*
Antigen-antibody complexes, soluble, cellular damage by, *40*
reactions, earliest changes in, *70*
Antigens, variation in dosages, in induction of delayed and immediate types of skin reactivity, *62*
Antiheart antibodies, occurrence in postpericardiotomy and post–myocardial infarction syndromes, *56*
types of, in various heart and collagen diseases, *58*
Antihistaminic substances in extracts of human tumor and "normal" tissues, *7*
Anti-lens antibody, occurrence in human sera, *76*
Antinuclear antibodies in relatives of patients with lupus erythematosus, *13*
Antirabies serum, reactions following use, *87*
Aortic valve surgery, hemolytic anemia as complication, *38*

*January—February, pp. *1-16*; March—April, pp. *17-30*; May—June, pp. *31-46*; July—August, pp. *47-64*; September—October, pp. *65-80*; November—December, pp. *81-110*.

Appendix, role in development of immunologic capacity, *39*
Arthritis, food allergens as etiologic factors in, *53*
Arthus phenomenon, reactivation by thiol compounds, *15*
Asthma, death from, in children, *82*
effect of air flow and oral pressure on mechanics of breathing in, *18*
of dichlorphenamide in, *48*
fatal, clinical and pathological observations in, *32*
gamma globulin intracutaneously in prophylactic treatment of, *2*
intractable, and Asthmatic Children's Foundation, *49*
metaproterenol in treatment, *82*
physical conditioning in, *66*
pituitary function in, *48*
pulmonary function in symptom-free patients, *33*
Atopic dermatitis, herpes zoster as complication, *4*
incidence of contact sensitivity in patients with, *4*
treatment with guanethidine and phenoxybenzamine, *50*
eczema, smallpox vaccination in, *3*
Atopy, incidence in Denver school children, *15*
Auer colitis, induction, by intrarectal antigen in rabbits, *11*
Autoantibodies and cytotoxic factor in thyroid disease, *27*
Autoimmune disease, as precursor to development of leukemia, *43*
skin tests with deoxyribonucleic acid in, *68*
hemolytic anemia, treatment with d-penicillamine, *88*
phenomenon, myasthenia gravis as, *59*
processes, development after removal of central lymphoid tissue in rabbits, *59*
reaction, progesterone as cause, *22*
Autoimmunity, pathogenesis in rats using antikidney antibody, *55*
Takayasu's disease as manifestation, *23*
Azathioprine (Imuran), use in treatment of immunoallergic lung purpura, *63*

B

Basophil count, technique and significance, *55*
degranulation test, critical evaluation, *36*
Basophil degranulation test—Cont'd
in allergic rhinitis, *49*
induction by oral poison ivy antigen, *85*
role of complement in, *54*
Basophils and mast cells, role in hypersensitivity, *72*
Bee venom, toxicity in relation to diet, *30*
Benadryl, anaphylactoid reaction caused by, *21*
Berloque dermatitis, experimental reproduction, *50*
β_{2A}-globulin and skin-sensitizing antibodies, sedimentation, in serum of allergic individuals, *58*
Birch pollen, psoriasis as result of sensitivity to, *5*
Bithionol, contact photodermatitis caused by, *20*
Brain, electric stimulation in prevention of anaphylaxis in guinea pigs, *61*
Bronchospasm, acetylcysteine as cause, *18*
Byssinosis, antibodies to cotton antigens in, *72*

C

Celiac disease, immunofluorescent studies in adults with, *92*
infant feeding in, *46*
Cell migration in vitro, relationship of inhibition to delayed hypersensitivity, *72*
Cellulose-acetate membrane, use in immunoelectrophoresis, *91*
Chlordiazepoxide (Librium), photosensitivity reaction to, *51*
Chlorogenic acid, lack of allergenicity, *45*
Chromium dermatitis, inhalation of chrome containing fumes as cause, *34*
Chronic uveitis, food sensitivity as cause, *62*
Circulating antibody, independence of formation of delayed type hypersensitivity, *73*
Coal tar dermatitis confirmed by basophilic degranulation, *84*
Coffee, green, chlorogenic acid not active allergenic principal in, *45*
Cold hypersensitivity, induction, *85*
urticaria, *52*
Collagen diseases, pulmonary function studies in, *88*
Complement consumption, means of measuring antibody-like activity in diabetic serum, *75*
role, in basophil degranulation test, *54*

Contact dermatitis, alkylating agents as cause, *68*
coal tar vapor as cause, *84*
complicating tracheostomy, *35*
hydrazine solder flux as cause, *34*
lichens as cause, *83*
role of histamine in, *33*
synthetic oil of mustard as cause, *20*
to poison ivy extracts in monkeys, *41*
to textiles, formaldehyde as cause, *34*
hypersensitivity in guinea pig, *84*
photodermatitis, oil of Bergamot as cause, *50*
sensitivity, incidence in patients with atopic dermatitis, psoriasis, and acne, *4*
trivalent basic chromium sulfate and hexavalent chromium sulfate as cause, *34*
Corticosteroid therapy, long term, effect on red-cell values and red-cell indices in asthmatic children, *32*
on red-cell volume and hemoglobin mass, in asthmatic children, *32*
Corticosteroids, topical, systemic effects, *64*
Corticosterone, half-life in children, *29*
Cotton antigens, antibodies to, in normals and cotton card-room workers, *75*
Cross-reactions, antibacterial sulphonamides and diuretic drugs, *69*
Cushing's syndrome, aerosolized steroids as cause, *82*
Cyclophosphamide-prednisone, lethal midline granuloma treated with, *71*

D

Declomycin, anaphylactoid reaction to, *6*
Delayed hypersensitivity, effect of irradiation on associated febrile response, *79*
of thymectomy upon, *57*
independence of formation of circulating antibody, *73*
and inhibition of cell migration, *11*, *12*
relationship to inhibition of cell migration in vitro, *72*
sensitivity, induction by small doses of antigen, *62*
Deoxyribonucleic acid, skin tests with, in autoimmune diseases, *68*
D-penicillamine, treatment of autoimmune hemolytic anemia with, *88*
Dermatitis (*See also* contact dermatitis)
autoimmune reaction to progesterone as cause, *22*
tobacco smoke as cause, *84*
Diabetic serum, measurement of antibody-like activity by complement consumption, *75*
Dichlorphenamide in emphysema and chronic bronchial asthma, *48*
DNA antibodies in systemic lupus erythematosus and myasthenia gravis, *23*
Drug allergy, exfoliative dermatitis caused by, *19*
Drugs, hepatic reactions to, *36*
photosensitivity induced by, *67*

E

Eczema vaccinatum, prophylaxis and treatment, *3*
Electrophoresis, substitution of cellulose acetate membrane for agar gel in, *91*
Emphysema, effect of air flow and oral pressure on mechanics of breathing in, *18*
hyperbaric effects on, *55*
therapy in, *89*
Endotoxin shock, relationship to anaphylaxis in dogs, *44*
Enzyme activation in hereditary angioneurotic edema, *76*
Eosinophilia, penicillin hypersensitivity as cause, *52*
Eosinophilic granulomas, parasites as cause, *29*
leukemia and disseminated eosinophilic collagen disease, *70*
Epoxy resins, allergens in, *35*
Ethchlorvynol, fixed drug eruption caused by, *85*
Exfoliative dermatitis, diagnosis and etiology, *19*

F

Fever in delayed hypersensitivity, *79*
Fibrocystic disease, site of sweat gland defect in, *72*
Fixed drug eruption, Ethchlorvynol as cause of, *85*
Fluoride hypersensitivity, *69*
Food allergy, arthritis and arthralgia caused by, *53*
sensitivity, chronic uveitis caused by, *62*
Formaldehyde as contact allergen in textiles, *34*

G

Gamma globulin, use in prophylactic treatof asthma, *2*

Gastric parietal cell auto-antigen, characterization of, in pernicious anemia, *91*
Giardia lamblia, alimentary hypersensitivity induced by, *80*
Gliadin, binding in intestinal epithelium in celiac disease, *92*
Glomectomy, effect in bronchial asthma, *32*
Glomerulonephritis, experimental, pathogenesis, *55*
Gluten intolerance and allergy to cow's milk, *86*
Guanethidine, atopic dermatitis treated with, *50*

H

Hapten-protein conjugates in delayed hypersensitivity, *12*
Haptens and in vitro cytotoxicity in delayed hypersensitivity, *11*
organ-specific, immunization with, *9*
Hashimoto's thyroiditis and primary hypothyroidism, autoimmune mechanism in, *77*
Hemolytic anemia, autoimmune, complicating aortic valve surgery, *38*
penicillin therapy as cause, *94*
Hepatitis, cholestatic, oxacillin as cause, *53*
Herpes zoster, atopic dermatitis complicated by, *4*
Histamine, anaphylactic and venom-induced, distribution in guinea pigs, *28*
content of skin and delayed skin reactions, *33*
in human disease, *6*
and mast cells in fetal skin, *8*
release in lung tissue of anaphylaxis resistant and susceptible guinea pigs, *28*
Home visits, importance in management of allergic patients, *36*
Homografts, lymphoid, fate within diffusion chambers inside sensitized hosts, *14*
Homologous skin, capacity to induce antigenic stimulation, *41*
House dust allergen, purification of, *46*
Hydrazine solder flux as cause of contact dermatitis, *34*
Hydrocortisone ^{14}C, absorption through skin, *71*
Hydroxychloroquine, effect on immune responses to diphtheria toxoid and BCG infection, *94*
Hypercapnea, treatment, *9*
Hypersensitivity to cold, induction, *85*
delayed, relationship to azo-dye carcinogens, *82*
specificity of guinea pig antibodies in, *56*
type and in vitro cytoxicity, *11*
diseases, intravascular clotting in, *88*
indirect mast cell degranulation in detection of, *89*
significance of basophil count in, *55*
to sulphonamides, *69*
Hypogammaglobulinemia, congenital, *60*
Hypoglycemia, effect on anaphylactic shock in rats, *79*
Hyposensitization therapy, evaluation in treatment of hay fever and asthma in children, *2*

I

"Idiopathic" cold agglutinin disease, as precursor to leukemia, *43*
Immediate type sensitivity, induction by relatively large doses of antigen, *62*
wheal reactions, significance of genetic factor in, *42*
Immune gamma globulin (human) molecules and skin sensitizing properties, *58*
response, genetic control in guinea pigs, *43*
in thymectomized rats to anti-rat lymphocyte plasma, *91*
Immunoallergic lung purpura, treatment with azathioprine (Imuran) *63*
Immunodiffusion, a micro technique for, *94*
Immunologic capacity, role of appendix in development, *39*
paralysis, studies in, *61*
response to parenteral antigen injection, comparison of, between normal and atopic individuals, *90*
following attempted sensitization with homologous skin, *41*
responsiveness and uremia, *77*
tolerance and in vitro cytotoxicity in delayed hypersensitivity, *11*
variation, sources in mice, *78*
Infectious mononucleosis and serum sickness sera, reactions in tissue cultures, *37*
Intracutaneous tests and patch tests in patients with trivalent chromium sensitivity, *3*
Intraoral patch testing, new technique for, *20*
Intravascular clotting, hypersensitivity disorders and, *88*

L

LE cell phenomenon, association with erythroid aplasia, bullae and thymoma, *22*
Lethal midline granuloma, cyclophosphamide-prednisone treatment in, *71*
Leukemia, development following autoimmune disease, *43*
Lichens, contact dermatitis caused by, *83*
Lincomycin, use in respiratory tract allergy with infection, *64*
Liver, drug reactions causing injury to, *36*
Lupus erythematosus, incidence of antinuclear antibodies in families of patients with, *13*
  photosensitivity in, *67*
  systemic, induced by procainamide hydrochloride, *52*

M

Mango, shock reaction following ingestion of, *86*
Mast cell degranulation, detection of hypersensitivity by, *89*
  cells and basophils, role in hypersensitivity, *72*
    and histamine in fetal skin, *8*
    role in anaphylaxis in mouse, *15*
6-Mercaptopurine, effect on immune response in man, *24*
Metaproterenol, use in asthma, *32*
Methicillin, hematuria and proteinuria caused by, *53*
  penicillin sensitive patients treated with, *21*
Methotrexate and tuberculin hypersensitivity, *10*
Milk antibodies spontaneously occurring in Mongoloids, *6*
Milk, cow's and gluten intolerance, *86*
  proteins, antigenicity after heating, *26*
Mold flora, significance of, in homes, *30*
  studies in homes, correlation with positive skin tests, *30*
Monkey, passive transfer of immediate hypersensitivity in, *93*
Multergan, effect on ventilatory capacity in airway obstruction, *66*
Multiple sclerosis, immunologic studies in, *78*
Muscle wasting disorders, circulating antibodies in, *76*
Mustard oil, synthetic, contact dermatitis caused by, *20*
Myasthenia gravis, anti-thymus and anti-skeletal muscle antibodies in, *74*
  binding of gamma globulin to muscle in, *59*
  immunologic survey of, *39*
Myeloma, clinical and subclinical state of, *71*

N

Neomycin contact sensitivity, detection, *84*
Nephrotic syndrome, penicillamine therapy as cause of in Wilson's Disease, *88*

O

Organ-specific haptens, immunization with, *9*
Oxacillin, cholestatic hepatitis caused by, *53*

P

Patch testing, intraoral method, *20*
Peanut oil adjuvant for viral vaccine immunization, *29*
Pemphigus vulgaris and serum antibodies, *40*
Penicillamine, accelerated immune response induced by, *10*
  nephrotic syndrome caused by, *38*
Penicillin, hemolytic anemia following treatment with, *94*
  hypersensitivity, evaluation of intradermal skin tests in, *5*
    methicillin tolerance in, *21*
    pericarditis and eosinophilia as result of, *52*
    skin testing with penicilloyl-polylysine and penicillin G in, *49*
Penicilloyl-polylysine, systemic manifestations following skin test with, *6*
Penile lesions, association with subacute angiitis, *23*
Pericarditis, penicillin hypersensitivity as cause, *52*
Phenoxybenzamine, atopic dermatitis treated with, *50*
Photodermatitis, contact sensitivity to bithionol as cause, *20*
Photosensitivity, to chlordiazepoxide (Librium), *51*
  drug induced, *67*
  in lupus erythematosus, *67*
Pigeon-breeders' lung, allergic condition, *86*
Pituitary function in asthma as indirect measure of methopyrapone, *48*
Poison ivy antigen, basophilia cell degranulation following oral administration, *85*
  in monkeys, *41*

Pollen therapy, evaluation in infants and children, *2*
Pollens, airborne, cytoplasmic fine structure, *66*
Polymyositis, circulating antibodies in, *76*
Procainamide hydrochloride, lupus erythematosus induced by, *52*
Prosimians (lemuroids), passive transfer of human allergies to, *38*
Protein diet, enhancement of bee venom toxicity by *30*
Psoriasis, birch pollen and aspirin as cause, *5*
immunologic responses in, *68*
investigation, *51*
incidence of contact sensitivity in, *4*
Psoriatic skin, immunologic response to, *51*
Pulmonary function in collagen disease, *90*
in symptom-free asthmatic patients, *33*

R

Ragweed hay fever, Anergex in treatment, *2*
pollen extracts, fractionation, *48*
Renal transplantation, connective tissue disease and rheumatoid factors in, *89*
Rheumatic fever, autoantibodies in, *58*
Rheumatoid factors, detecting and quantitating of, *93*
Rh-negative mothers, prevention of sensitization by injection of anti-D serum, *79*

S

Salicylates, psoriasis as result of sensitivity to, *5*
Sedimentation gradient of reagin and β_{2A}-globulin in serum of allergic individuals, *58*
Serum sickness incidence following rabies antiserum, *87*
and infectious mononucleosis sera, reactions in tissue cultures, *37*
Shwartzman reaction, inhibition by polypeptide possessing antiprotease activity, *25*
Skin, experimental sensitization to, in guinea pigs with homologous or autologous skin emulsions, *60*
penetration by ^{14}C hydrocortisone, *71*
sensitizing antibodies and β_{2A}-globulin, density-gradient sedimentation in serum of allergic individuals, *58*
tests, value in penicillin hypersensitivity, *5*
Slow reacting substance, anaphylactic and venom-induced, distribution and properties of, in guinea pigs, *28*
Smallpox vaccination, comparison of take rates in infants, *94*
Sperm and semen, antibody production following immunization of rabbits with, *25*
Splenic reticular cells, source of antibody manufacturing cells, *70*
Systemic lupus erythematosus, pulmonary dysfunction in, *37*

T

Tetracycline, anaphylactic reaction from, *87*
Thiol compounds and Arthus reactivation, *15*
Thymectomy, effect on induction of delayed hypersensitivity, *57*
Thymoma, erythroid aplasia, LE cell phenomenon and bullae associated with, *22*
Thymus, role in resistance to infection and endotoxin toxicity, *87*
Thymus and skeletal muscle, reactivity of myasthenia gravis serum gamma globulin with, *74*
Thyroid disease, antibodies and cytotoxic factor in, *27*
Thyroiditis, allergic, genetic influence in guinea pigs, *42*
Thyrotropin, allergic reaction to, *19*
Timothy pollen, isolation and immunochemical properties of haptenic material from, *26*
Tobacco smoke, dermatitis from, *84*
Tracheostomy, contact dermatitis complicating, *35*
Tracheotomy, effects in chronic pulmonary disease, *8*
Transplantation tolerance, induction in mice by protein overloading of donors, *21*
Trenimon ointment, contact dermatitis caused by, *68*
Trivalent basic chromium, contact sensitivity caused by, *34*
chromium, sensitivity to, in patients with hexavalent chromium sensitivity, *3*
Tuberculin hypersensitivity, effect of methotrexate on, *10*
relationship of, to pulmonary granulomatous response in rabbits, *42*

Tuberculin reaction, electron microscopic observations on localization of antigen in, *92*
Tuberculin test, depression by viral vaccines, *27*
Tumor and "normal" tissues, human, antihistaminic substances found in, *7*

U

Uremia and immunologic responsiveness, *77*
Urticaria, aquagenic, *18*
essential cold, *52*
Uvea, homologous, antibody production to, in guinea pig, *25*
Uveitis, human, presence of demonstrable autoantibody in, *44*

V

Vagus nerve, electrical activity after antianaphylactic stimulation of brain, *45*
Vasculitis, allergic, clinical manifestations, *89*
Ventilation, mechanical, in chronic pulmonary disease, *9*
Viral vaccines, effect on tuberculin reaction, *27*

W

Water, hives caused by, *18*
Wegener's granulomatosis, *54*

Z

Zirconium, hypersensitivity dermatitis from, *35*